

CYCLE 2022-01

Sorting order:

A – first 'quotas', then 'suspensions'

B – **new** requests, **amending** requests.

In addition, at the end of this document (p.41 onwards) you will find the existing battery related suspensions, which will be reviewed in the upcoming cycle.

>>>The duty suspension and quota requests on the following list are currently under discussion. The data available on this list may not represent the final state of the discussions within the relevant Commission Working group.

Please note that it cannot be guaranteed that the information available exactly reproduces an officially adopted text. Only European Union legislation published in the Official Journal of the European Union is deemed authentic<<<<

CN code	TARIC	Reference Mail	Working Number	Description	Quotas	New or amendment request	Measure status	Partner Position Country	Partner Position	Public Comments
2916 14 00		1974176/2021	0600	Methyl methacrylate (CAS RN 80-62-6) with a purity by weight of 99 % or more	Q/ 40200000 KG 01.01-31.12	New	UNDER EXAMINATION	TR	Applicant	Round 2022-1- request for Turkish national quota. used for polymerization in Polymer Emulsions
3906 90 90		1838037/2021	0601	Super absorbent polymer (Hydrophilic cross-linked sodium polyacrylate (CAS RN 9003-04-7) with a particle size of 99 % less than 850 µm (acrylic acid polymerized using sodium salt)	Q/ 13000 tonnes, 01.01-31.12	New	UNDER EXAMINATION	TR	Applicant	Round 2022-1- request for Turkish national quota. Usage of Products in the industries: Baby Diapers, Hygenic Pad, Disposable Underpad.
ex 3913 10 00	10	311124/2013	0700	DK - new text proposal: Sodium alginate, extracted from brown seaweed, except for Laminaria Hyperborea and Laminaria Digitata, (CAS RN 9005-38-3) -- Current text description:	Q/ 10000 tonnes, 01.01-31.12	Amendment	UNDER EXAMINATION	DK AT	Applicant Co-applicant	Round 2022-01- amendment. For thickening and gelling in foodstuff // - As additives in cakes, Pet Food and processed meat products

				Sodium alginate, extracted from brown seaweed (CAS RN 9005-38-3)						
ex 2929 10 00	25	5933023/2019	0701	1,5-Naphthylene diisocyanate (CAS RN 3173-72-6) with a purity by weight of 90 % or more	Q/ 300 tonnes, 01.01-31.12	Amendment	UNDER EXAMINATION	BE DE	Applicant Applicant	Round 2022-01 – Amendment – new quantity
ex 2710 19 81 ex 2710 19 99	20 40	1254190/2015 3016685/2013	0702	Catalytically hydroisomerized and dewaxed base oil of hydrogenated, highly isoparaffinic hydrocarbons, containing: - 90 % or more by weight of saturates, and - not more than 0,03 % by weight of sulphur, and with: - a viscosity index of 80 or more, but less than 120, and a kinematic viscosity of 5,0 cSt at 100°C or more, but not more than 13,0 cSt at 100°C	Q/ 75000 tonnes, 01.01-30.06	Amendment	UNDER EXAMINATION	BE DE FI AT	Applicant Applicant Co-applicant	Round 2022-01 – amendment. new quantity. Description for Group II base oils > 150N and < 600 N
ex 2710 19 81 ex 2710 19 99	20 40	4953221/2020 5153510/2020	0703	Catalytically hydroisomerized and dewaxed base oil of hydrogenated, highly isoparaffinic hydrocarbons, containing: - 90 % or more by weight of saturates, and - not more than 0,03 % by weight of sulphur, and with: - a viscosity index of 80 or more, but less than 120, and a kinematic viscosity of 5,0 cSt at 100°C or more, but not more than 13,0 cSt at 100°C	Q/ 0 kilograms, 01.07-31.12	Amendment	UNDER EXAMINATION	BE DE NL	Applicant Applicant Opposed	Round 2022-01 – Objection against the continuation of this quota during the second half of 2022. Intended use: Lubricants
ex 2922 41 00	10	2544706/2019	0704	NL - new proposal: L-Lysine hydrochloride (CAS RN 657-27-2) or an aqueous solution of L-lysine (CAS RN 56-87-1), containing by weight 50 % or more of L-lysine	Q/ 245000tonnes, 01.01-31.12	Amendment	UNDER EXAMINATION	NL AT DK FR	Applicant Co-applicant Co-applicant Opposed	Round 2022-01 request for amendment and increase.

				--- Current product description: L-Lysine hydrochloride (CAS RN 657-27-2)						Animal feed, either in the form of a pre-mix or as a final product
2915 32 00		726215/2014 825537/2014 838627/2014 838774/2014 898981/2014	0705	Vinyl acetate (CAS RN 108-05-4)	Q/ 56000tonnes, 01.01-31.12	Amendment	UNDER EXAMINATION	BE ES FR NL TR SK DE	Applicant Applicant Applicant Applicant Co-applicant Opposed	Round 2022-01 - request for increase Vinyl Acetate Monomer can be polymerized, either by itself to make polyvinyl acetate or with other monomers to prepare copolymers such as ethylene-vinyl acetate en Ethylene-Vinyl Alcohol.
2916 12 00		984993/2011	0706	Butyl acrylate (CAS RN 141-32-2)	Q/ 10000tonnes, 01.01-31.12	Amendment	UNDER EXAMINATION	TR	Applicant	TR national quota - request for increase from 65000t to 100000t. used as a binder in the production of decorative paints, used as process additive and impact modifier for PVC sector
3905 30 00		137255/2010	0707	Poly(vinyl alcohol), whether or not containing unhydrolysed acetate groups	Q/ 15000tonnes, 01.01-31.12	Amendment	UNDER EXAMINATION	NL BE DE DE	Applicant Co-applicant Co-applicant Opposed	Round 2022-01 - objection for use in the manufacture of adhesives falling within heading 3506"
ex 2926 10 00	20	1436514/2018_2 1489878/2018 910/2006	0708	DE(04.03.2021) new proposal:	Q/ 40000tonnes, 01.01-31.12	Amendment	UNDER EXAMINATION	DE FI FR	Applicant Applicant Co-applicant	Round 2022-01 - Request for amendment.

				Acrylonitrile (CAS RN 107-13-1), for use in the manufacture of goods of headings 2921, 2924, 3906, 3914 and 4002 --- Current product description: Acrylonitrile (CAS RN 107-13-1), for use in the manufacture of goods of headings 2921, 2924, 3906 and 4002 (1)						
ex 8714 91 10 ex 8714 91 10 ex 8714 91 10	23 33 70	3087055/2013	0709	DE(04.03.2021) new proposal: Frame, constructed from aluminium or aluminium and carbon fibres and artificial resin, for the use in the manufacture of bicycles (including electric bicycles) ---- Current product description: Frame, constructed from aluminium or aluminium and carbon fibres, for the use in the manufacture of bicycles (including electric bicycles) (1)	Q/ 960000pieces, 01.01-31.12	Amendment	UNDER EXAMINATION	NL AT IT EU PT TR	Applicant Co-applicant Co-applicant Opposed Opposed Opposed	Round 2022-01 - Request for amendment. for the use in the manufacture of bicycles (including electric bicycles)
ex 2914 19 90	50	2989061/2014	0710	AT(12.03.2021) new proposal without end use: Calcium acetylacetonate (CAS RN 19372-44-2) with a purity by weight of 95 % or more --- Current product description: Calcium acetylacetonate (CAS RN 19372-44-2) for use in the manufacture of stabilisator systems in tablet form	Q/ 400tonnes, 01.01-31.12	Amendment	UNDER EXAMINATION	AT	Applicant	Round 2022-01: Request for text amendment. The chemical improves the colour stability of plastics and is used for the production of polymer additives.
ex 7607 11 19	61	4955605/2020	0750	Aluminium foil in rolls of a width exceeding 650 mm with: - an aluminium purity by weight of 99 % or more but not more than 99,95 %,	Q/ 1500tonnes, 01.01-30.06	Amendment	UNDER EXAMINATION	DE EU TR	Applicant Opposed Opposed	Round 2022-01 - amendment Round 01.07.2021 for use in the manufacturing of

				<ul style="list-style-type: none"> - a thickness of 10 µm or more, but not more than 15 µm, - a surface oxide layer, for use [as cathode] in the manufacturing of lithium-ion electric rechargeable batteries (1)							lithium-ion electric rechargeable batteries
--	--	--	--	--	--	--	--	--	--	--	---

CN code	TARIC	Reference Mail	Working Number	Description	<u>Suspensions</u>	New or amendment request	Measure status	Partner Position Country	Partner Position	Public Comments
0803 90 10		2019726/2021	1076	Bananas, non-compliant with marketing standards as described in Annex I of Implementing Regulation (EU) No. 1333/2011, inspected in ports within the European Union, intended for industrial processing into banana puree (1)	S	New	UNDER EXAMINATION	NL	Applicant	Round 2022-1 industrial processing into banana puree
2850 00 20		1634278/2021	1009	Tetrabutylammonium tetrahydroborate (CAS RN 33725-74-5) with a purity by weight of 97 % or more	S	New	UNDER EXAMINATION	IT	Applicant	Round 2022-1 The product is an intermediate used in the production of API.
2903 22 00		1712303/2021	1014	1,1,2-Trichloroethene (CAS RN 79-01-6) with a purity by weight of 99 % or more	S	New	UNDER EXAMINATION	IT	Applicant	Round 2022-1 used as an intermediate for the synthesis
2903 39 19		1510605/2021	1001	1-bromo-2-methylpropane (CAS RN 78-77-3) with a purity by weight of 99 % or more	S	New	UNDER EXAMINATION	IT	Applicant	Round 2022-1 The imported material is used in the synthesis of active and pharmaceutical intermediates
2903 99 80		1716244/2021	1015	2,6-Difluorobenzyl bromide (CAS RN 85118-00-9) with a purity by weight of 99 % or more	S	New	UNDER EXAMINATION	DE	Applicant	Round 2022-1 Intermediate for the production of an active

										pharmaceutical ingredient
2903 99 80		1765025/2021	1026	1-[Chloro(phenyl)methyl]-2-methylbenzene (CAS RN 41870-52-4) with a purity by weight of 99 % or more	S	New	UNDER EXAMINATION	IT	Applicant	Round 2022-1 Used as raw material in the chemical synthesis for the production of active pharmaceutical ingredients
2904 99 00		1634347/2021	1010	4-Nitrotoluene-2-sulphonic acid (CAS RN 121-03-9) with a purity by weight of 80 % or more	S	New	UNDER EXAMINATION	IT	Applicant	Round 2022-1 used only as a reagent in the synthesis of the final product
2906 19 00		1764221/2021	1078	5-Methyl-2-(1-methylvinyl)cyclohexane-1-ol (isopulegol), mixture of isomers (CAS RN 7786-67-6) with a purity by weight of 90 % or more	S	New	UNDER EXAMINATION	DE	Applicant	Round 2022-1 building block for menthol synthesis
2908 19 00		1837869/2021	1053	2,3,6-Trifluorophenol (CAS RN 113798-74-6) with a purity by weight of 98 % or more	S	New	UNDER EXAMINATION	ES	Applicant	Round 2022-1 used in the manufacturing of a new Active Pharmaceutical Ingredient (NCE New Chemical Entity).
2909 30 90		1764349/2021	1016	5-Bromo-1,3-difluoro-2-(trifluoromethoxy)benzene (CAS RN 115467-07-7) with a purity by weight of 95 % or more	S	New	UNDER EXAMINATION	DE	Applicant	Round 2022-1 Intermediate LC materials for displays
2914 50 00		1764412/2021	1017	4'-Hydroxyacetophenone (CAS RN 99-93-4) with a purity by weight of 99 % or more	S	New	UNDER EXAMINATION	DE	Applicant	Round 2022-1 Substance for synthesis of pharmaceuticals
2914 50 00		1789539/2021	1044	1,1'-[(2-Hydroxy-1,3-propanediyl)bis[oxy(6-hydroxy-2,1-phenylene)]]bis-Ethanone (CAS RN 16150-44-0) with a purity by weight of 98 % or more	S	New	UNDER EXAMINATION	IT	Applicant	Round 2022-1 intermediate in the synthesis of pharma product

2914 50 00		1765175/2021	1028	1-[2-(Oxiran-2-ylmethoxy)phenyl]-3-phenylpropan-1-one (CAS RN 22525-95-7) with a purity by weight of 99 % or more	S	New	UNDER EXAMINATION	IT	Applicant	Round 2022-1 Used as raw material in the chemical synthesis for the production of active pharmaceutical ingredients
2915 90 70		1510827/2021	1004	Ethyl 8-bromooctanoate (CAS RN 29823-21-0) with a purity by weight of 98 % or more	S	New	UNDER EXAMINATION	IT	Applicant	Round 2022-01 The imported material is used in the synthesis of pharmaceutical intermediates and active ingredients
2916 31 00		1850852/2021	1062	Phenethyl benzoate (CAS RN 94-47-3) with a purity weight of 95 % or more	S	New	UNDER EXAMINATION	NL	Applicant	Round 2022-1 Used in sunscreens and daily wear products
2916 39 90		1764487/2021	1018	2-Phenylbutyric acid (CAS RN 90-27-7) with a purity by weight of 99 % or more	S	New	UNDER EXAMINATION	DE	Applicant	Round 2022-1 intended use of the imported product: chemical and pharmaceutical synthesis
2921 29 00		1764576/2021	1019	1,5-Diaminopentane, Pentamethylenediamine (CAS RN 462-94-2) with a purity by weight of 95,5 % or more, also as an aqueous solution	S	New	UNDER EXAMINATION	DE	Applicant	Round 2022-1 This is used for the production of varnish pre-products.
2922 19 00		1765066/2021	1027	1-Alpha-H,5-alpha-H-Nortropan-3-alpha-ol (CAS RN 538-09-0) with a purity by weight of 99 % or more	S	New	UNDER EXAMINATION	IT	Applicant	Round 2022-1 Used as raw material in the chemical synthesis for the production of active pharmaceutical ingredients.

2922 49 85		1634536/2021	1012	2-Ethylhexyl-4-aminobenzoate (CAS RN 26218-04-2) with a purity by weight of 99 % or more	S	New	UNDER EXAMINATION	IT	Applicant	Round 2022-1 Raw material for the chemical synthesis of cosmetic active ingredients
2924 29 70		1510779/2021	1003	2-[2-(Methoxycarbonyl-phenyl-amino)-phenyl]-acetic acid (CAS RN 353497-35-5) with a purity by weight of 98 % or more	S	New	UNDER EXAMINATION	IT	Applicant	Round 2022-01 The imported material is used in the Synthesis of pharmaceutical intermediates and active ingredients
2924 29 70		1772566/2021	1033	Zoxamide (CAS RN 156052-68-5) with a purity by weight of 97.5 % or more	S	New	UNDER EXAMINATION	BE	Applicant	Round 2022-1 used for the production of agriculture fungicide.
2924 29 70		1772495/2021	1032	S-metolachlor (CAS RN 87392-12-9) with a purity by weight of 98 % or more	S	New	UNDER EXAMINATION	BE	Applicant	Round 2022-1 used for the production of herbicides
2924 29 70		1634445/2021	1011	N-(1,1-dimethylethyl)-4-amino-benzamide (CAS RN 93483-71-7) with a purity by weight of 99 % or more	S	New	UNDER EXAMINATION	IT	Applicant	Round 2022-1 Raw material for the chemical synthesis of cosmetic active ingredients
2926 90 70		1852791/2021	1065	Methyl 2-cyano-2-propylpentanoate (CAS RN 66546-92-7) with a purity by weight of 97 % or more	S	New	UNDER EXAMINATION	NL	Applicant	Round 2022-1 Conversion by chemical synthesis into Active Pharmaceutical Ingredients
2928 00 90		1632806/2021	1008	1-[(1H-fluoren-9-ylmetoxi)carbonil]oxi}pyrrolidine-2,5-dione (CAS RN 82911-69-1) with a purity by weight of 98,5 % or more	S	New	UNDER EXAMINATION	IT	Applicant	Round 2022-1 used as an intermediate utilized in chemical synthesis for manufacturing a finished product.

2929 90 00		1764668/2021	1021	N-propylphosphorothioic triamide (CAS RN 916809-14-8) with a purity by weight of 97 % or more	S	New	UNDER EXAMINATION	DE	Applicant	Round 2022-1 Active ingredient for manufacture of fertilizer additives
2929 90 00		1764624/2021	1020	N-(n-Butyl) thiophosphoric triamide (CAS RN 94317-64-3) with a purity by weight of 97 % or more	S	New	UNDER EXAMINATION	DE	Applicant	Round 2022-1 Active ingredient for manufacturing of fertilizer additives
2930 90 98		1510660/2021	1002	2-Methoxy-N-[2-nitro-5-(phenylsulfanyl)phenyl]acetamide (CAS RN 63470-85-9) with a purity by weight of 96 % or more	S	New	UNDER EXAMINATION	IT	Applicant	Round 2022-1 used in the synthesis of anthelmintic intermediates and active pharmaceutical ingredients for veterinary use
2930 90 98		1772428/2021	1031	Mesotrione (CAS RN 104206-82-8) with a purity by weight of 98.5 % or more	S	New	UNDER EXAMINATION	BE	Applicant	Round 2022-1 used for production of herbicide
2933 29 90		1510516/2021	1000	Tert-butyl (2S)-2-(5-bromo-1H-imidazol-2-yl)pyrrolidine-1-carboxylate (CAS RN 1007882-59-8) with a purity by weight of 98 % or more	S	New	UNDER EXAMINATION	IT	Applicant	Round 2022-01 The imported material is used in the synthesis of pharmaceutical intermediates and active ingredients
2933 39 99		1901686/2021	1071	4-[4-[[4-Chloro-3-(trifluoromethyl)phenyl]carbamoylamino]-3-fluorophenoxy]-N-methylpyridine-2-carboxamide (CAS RN 755037-03-7) with a purity by weight of 99,99 % or more	S	New	UNDER EXAMINATION	SI	Applicant	Round 2022-1 use in production of medicinal products for human use
2933 59 95		1632675/2021	1007	2-Amino-4-(4-methylpiperazin-1-yl) benzoic acid tertbutyl ester (CAS RN 1034975-35-3) with a purity by weight of 95 % or more	S	New	UNDER EXAMINATION	IT	Applicant	Round 2022-1 The product is an intermediate used in the production of API.

2933 79 00		1837779/2021	1052	(3S,4R)-3-amino-4-hydroxypyrrolidin-2-one hydrochloride (CAS RN 2446872-13-3) with a purity by weight of 98 % or more	S	New	UNDER EXAMINATION	ES	Applicant	Round 2022-1 used in the manufacturing of a new Active Pharmaceutical Ingredient (NCE New Chemical Entity).
2933 79 00		1511134/2021	1006	4-(2-Oxo-2,3-dihydro-1H-benzimidazol-1-yl)butanoic acid (CAS RN 3273-68-5) with a purity by weight of 98 % or more	S	New	UNDER EXAMINATION	IT	Applicant	Round 2022-01 Imported material used for the synthesis of intermediates and active pharmaceutical ingredients
2933 79 00		1849296/2021	1060	N-Dodecyl-2-pyrrolidone (CAS RN 2687-96-9) with a purity by weight of 98 % or more	S	New	UNDER EXAMINATION	NL	Applicant	Round 2022-1 Used for production of Home, Industrial, Ink and printing
2933 99 80		1772368/2021	1030	Metconazole (CAS RN 125116-23-6) with a purity by weight of 98 % or more	S	New	UNDER EXAMINATION	BE	Applicant	Round 2022-01 used in agriculture as a fungicide
2933 99 80		1772326/2021	1029	Prothioconazole (CAS RN 178928-70-6) with a purity by weight of 98 % or more	S	New	UNDER EXAMINATION	BE	Applicant	Round 2022-1 evaluated representative uses were as a fungicide
2933 99 80		1837722/2021	1051	5,7-Difluoro-2-(4-fluorophenyl)-1H-indole (CAS RN 901188-04-3) with a purity by weight of 98 % or more	S	New	UNDER EXAMINATION	ES	Applicant	Round 2022-1 used in the manufacturing of a new Active Pharmaceutical Ingredient (NCE New Chemical Entity).
2934 99 90		1713169/2021	1025	Fludioxonil (CAS RN 131341-86-1) with a purity by weight of 99 % or more	S	New	UNDER EXAMINATION	BE	Applicant	Round 2022-1 used as a seed treatment

2934 99 90		1901027/2021	1070	6-ethyl-3-[3-methoxy-4-[4-(4-methylpiperazin-1-yl)piperidin-1-yl]anilino]-5-(oxan-4-ylamino)pyrazine-2-carboxamide (CAS 1254053-43-4) with a purity by weight of 99,7 % or more	S	New	UNDER EXAMINATION	SI	Applicant	Round 2022-1 use in production of medicinal products for human use
2934 99 90		1898268/2021	1069	N-[(4,6-dimethyl-2-oxo-1H-pyridin-3-yl)methyl]-3-[ethyl(oxan-4-yl)amino]-2-methyl-5-[4-(morpholin-4-ylmethyl)phenyl]benzamide (CAS 1403254-99-8) with a purity by weight of 99,55 % or more	S	New	UNDER EXAMINATION	SI	Applicant	Round 2022-1 raw material used for development and enters as one of ingredient in the manufacture of a pharma product
2935 90 90		1764722/2021	1022	4-Amino-2,5-dimethoxy-N-methylbenzenesulfonamide (CAS RN 49701-24-8) with a purity by weight of 98 % or more	S	New	UNDER EXAMINATION	DE	Applicant	Round 2022-1 Intermediate, which is intended to be consumed in a chemical synthesis
2935 90 90		1764770/2021	1023	4-Amino-2,5-dimethoxy-N-phenylbenzenesulphonamide (CAS RN 52298-44-9) with a purity by weight of 98 % or more	S	New	UNDER EXAMINATION	DE	Applicant	Round 2022-1 Intermediate, which is intended to be consumed in a chemical synthesis
2935 90 90		1901881/2021	1072	Methyl N-[(2S)-1-[[4-[3-[5-chloro-2-fluoro-3-(methanesulfonamido)phenyl]-1-propan-2-yl]pyrazol-4-yl]pyrimidin-2-yl]amino]propan-2-yl]carbamate (CAS 1269440-17-6) with a purity by weight of 99,8 % or more	S	New	UNDER EXAMINATION	SI	Applicant	Round 2022-1 use in production of medicinal products for human use
2942 00 00		1511053/2021	1005	Raloxifene mesylate (CAS RN 84449-85-4) with a purity by weight of 98 % or more	S	New	UNDER EXAMINATION	IT	Applicant	Round 2022-1 chemical precursor used for the treatment of osteoporosis
3206 49 70		1849212/2021	1059	Concentrated mixture of pigments (masterbatch) in the form of plastic pellets containing by weight:	S	New	UNDER EXAMINATION	BE	Applicant	Round 2022-1 used as a masterbatch for coloring plastics

				<ul style="list-style-type: none"> - 5 % or more but not more than 15 % of barium sulphate (CAS RN 7727-43-7), - 5 % or more but not more than 10 % of blue pigment, consisting of a mixture of: <ul style="list-style-type: none"> - Titanium dioxide (CAS RN 13463-67-7), - Copper(II) phthalocyanine(CAS RN 147-14-8), - 15 % or more but not more than 20 % of metal powder (CAS RN 7439-89-6) and - 50 % or more but not more than 70 % of polyamide-6.6 (CAS RN 32131-17-2) 						
3811 21 00		1798940/2021	1047	Additive containing: <ul style="list-style-type: none"> - Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and isopropyl) esters, zinc salts (CAS RN 84605-29-8), - more than 7 % by weight and no more than 12 % by weight of mineral oil, used in the manufacture of blends of additives for lubricating oils (1)	S	New	UNDER EXAMINATION	FR	Applicant	Round 2022-1 Used in the manufacture of blends of additives for lubricating oils
3811 21 00		1799030/2021	1049	Additive containing: <ul style="list-style-type: none"> - Phosphorodithioic acid, mixed O,O-bis(isobutyl and pentyl) esters, zinc salts (CAS RN 68457-79-4), - more than 8 % by weight and no more than 15 % by weight of mineral oil, used in the manufacture of blends of additives for lubricating oils (1)	S	New	UNDER EXAMINATION	FR	Applicant	Round 2022-1 Used in the manufacture of blends of additives for lubricating oils
3811 21 00		1799091/2021	1050	Additive containing:	S	New	UNDER EXAMINATION	FR	Applicant	Round 2022-1 used in the manufacture of

				<ul style="list-style-type: none"> - Zinc O,O,O',O'-Tetrakis(1,3-Dimethylbutyl) Bis(Phosphorodithioate) (CAS RN 2215-35-2), - more than 4 % by weight and no more than 12 % by weight of mineral oil, <p>used in the manufacture of blends of additives for lubricating oils (1)</p>							blends of additives for lubricating oils
3811 21 00		1798885/2021	1046	<p>Additive containing:</p> <ul style="list-style-type: none"> - Poly(isobutenyl)succinic anhydride product with polyethylenepolyamines, borated (CAS RN 134758-95-5), product having a chlorine content between 0,05 and 0,25 weight percentage and a total base number (TBN) of more than 20, - more than 45 % by weight and no more than 55 % by weight of mineral oil, <p>used in the manufacture of blends of additives for lubricating oils (1)</p>	S	New	UNDER EXAMINATION	FR	Applicant	Round 2022-1 used in the manufacture of blends of additives for lubricating oils	
3811 21 00		1798855/2021	1045	<p>Additive containing:</p> <ul style="list-style-type: none"> - Poly(isobutenyl)succinic anhydride product (CAS RN 192662-34-3) with N,N-diethylaminoethanol (CAS RN 100-37-8), - more than 25 % by weight and no more than 40 % by weight of mineral oil, <p>used in the manufacture of blends of additives for lubricating oils (1)</p>	S	New	UNDER EXAMINATION	FR	Applicant	Round 2022-1 used in the manufacture of blends of additives for lubricating oils	
3811 21 00		1798993/2021	1048	<p>Additives containing:</p> <ul style="list-style-type: none"> - zinc bis(O,O-bis(2-ethylhexyl)) bis (dithiophosphate) (CAS RN 4259-15-8) 	S	New	UNDER EXAMINATION	FR	Applicant	Round 2022-1 used in the manufacture of blends of additives for lubricating oils	

				<ul style="list-style-type: none"> - triphenyl phosphite (CAS RN 101-02-0) more than 0,5 % but not more than 6 % by weight, - O,O,O-triphenyl phosphorothioate (CAS RN 597-82-0) more than 0,5 % but not more than 8 % by weight of the combination of triphenylphosphorus compounds, - more than 10 % but not more than 20 % by weight of mineral oils, <p>used in the manufacture of blends of additives for lubricating oils (1)</p>						
3902 30 00		1856839/2021	1201	Hydrogenated copolymer of styrene, isoprene and butadiene, containing by weight 28 % or more, but not more than 55 % of propylene	S	New	UNDER EXAMINATION	NL	Applicant	Round 2022-01 used in lubricant additives and finished lubricants.
3907 20 20		1972073/2021	1075	<p>Polyether polyol:</p> <ul style="list-style-type: none"> - with 50 % or more but not more than 70 % by weight of Sucrose – Glycerine – Epoxide Soybean Oil (Alcoholate), - with 30 % or more but not more than 50 % by weight of propylene oxide synthesized by Co-polymer method, - with less than 0,5 % by weight of water, - having a viscosity value of 3200Cp or more but not more than 8000Cp at 25°C temperature, - having an OH value of 440 mg.KOH/g or more but not more than 490 mg.KOH/g 	S	New	UNDER EXAMINATION	TR	Applicant	<p>Round 2022-1</p> <p>Used for producing Storage Products, Cooling and used in isolation sector</p>
3911 90 19		1889490/2021	1068	Polyetherimide of 4,4'-[(isopropylidene)bis(p-phenylenoxy)]diphthalic dianhydride and 1,3-benzenediamine or 1,4-	S	New	UNDER EXAMINATION	NL	Applicant	Round 2022-1 used in Automotive, Aerospace, Electrical, Healthcare, 5G and water management.

				benenediamine (CAS RN 61128-46-9 or 61128-47-0)						
3911 90 99		1853947/2021	1066	Aqueous solution consisting of by weight 25 % or more, but not more than 40 % of a poly(isobutylene-maleic anhydride) modified with <ul style="list-style-type: none"> - N,N-dimethylpropane-1,3-diamine, - a copolymer of ethylene oxide and propylene oxide, having aminopropyl and methoxy end-groups - ethanol (CAS RN 497926-97-3)	S	New	UNDER EXAMINATION	NL	Applicant	Round 2022-1 Used in hair care and skin and sun care products.
3920 20 21		1837943/2021	1054	Biaxially oriented 14 micron film layers with a thickness not more than 0,1 mm, both sides of which are printed with special coatings that allow security printing on the banknote	S	New	UNDER EXAMINATION	TR	Applicant	Round 2022-1 for packaging a U-pipette
5205 26 00		1856239/2021	1200	Single Cotton yarn <ul style="list-style-type: none"> - of combed fibres, - containing 100 % by weight of cotton with an average fibre length of at least than 36,5 mm (1 7/16"), - produced in the compact ring spinning process with pneumatic compression, - Measuring less than 125 decitex but not less than 106,38 decitex (exceeding 80 metric number but not exceeding 94 metric number) and - with a minimum tear strength of 26,5 cN/tex (tensile test according to ISO 2062/DIN 53834, at a speed of 5,000 mm/min) 	S	New	UNDER EXAMINATION	AT	Applicant	Round 2022-01 used in clothing damask
5205 27 00		1889417/2021	1067	Single Cotton yarn <ul style="list-style-type: none"> - of combed fibres, 	S	New	UNDER EXAMINATION	AT	Applicant	Round 2022-11 End use: Clothing damask

				<ul style="list-style-type: none"> - containing 100 % by weight of cotton with an average fibre length of at least than 36,5 mm (1 7/16"), - produced in the compact ring spinning process with pneumatic compression, - measuring less than 106,38 decitex but not less than 83,33 decitex (exceeding 94 metric number but not exceeding 120 metric number) and - with a minimum tear strength of 26,5 cN/tex (tensile test according to ISO 2062/DIN 53834, at a speed of 5,000 mm/min) 						
5404 19 00		1957359/2021	1073	<p>Chemically Tapered synthetic filaments of polyester with</p> <ul style="list-style-type: none"> - a diameter between 0,1-0,6 mm - different colours, - lengths between 30-120 mm <p>for the production of paintbrushes (1)</p>	S	New	UNDER EXAMINATION	SE	Applicant	Round 2022-1 for the production of paintbrushes
5906 99 90		1850619/2021	1061	<p>Woven and coated rubberised textile fabric used for the manufacture of life rafts, with the following characteristics:</p> <ul style="list-style-type: none"> - with three layers coated - the outer layers consist of a natural rubber, EPDM and chloropen rubber compound - the middle layer consists of polyester fabric <p>(1)</p>	S	New	UNDER EXAMINATION	DK	Applicant	Round 2022-1 Used for liferafts
7606 12 99		1957455/2021	1074	<p>AMS (Aerospace Materials Specification) and/or BAMS(Bombardier Aerospace Materials Specification) spesified 7040 or 7050 series, NADCAP(National Aerospace and Defense Contractors Accreditation</p>	S	New	UNDER EXAMINATION	TR	Applicant	Round 2022-1 used in the manufacture of products of aerospace industry

				Program) and AS9100(Aerospace Basic Quality System Standard) certified, aluminum alloy plates with a <ul style="list-style-type: none"> - width of 1000mm or more but not more than 2000mm, - thickness of 1000mm or more but not more than 2000mm used in the manufacture of products of aerospace industry (1)						
8409 91 00		1838466/2021	1055	Camshaft actuator for controlling the timing of valve opening in a continuous variable valve timing system of a passenger car's internal combustion piston engine of: <ul style="list-style-type: none"> - a length of 110 mm or more but not more than 140 mm, - a width of 90 mm or more but not more than 130 mm - a height of 80 mm or more but not more than 110 mm for use in the manufacture of engines of motor vehicles (1)	S	New	UNDER EXAMINATION	SK	Applicant	Round 2022-1 for use in the manufacture of engines of motor vehicles
8409 91 00		1852058/2021	1064	Fuel distribution pipe complete consists of rail pipe, high pressure sensor and injectors for direct gasoline fuel injection: <ul style="list-style-type: none"> - with an operating pressure of not more than 22,5 MPa, - solenoid direct injector - analog pressure sensor for 0 – 22,5 MPa 	S	New	UNDER EXAMINATION	SE	Applicant	Round 2022-1 used for the vehicles and hybrid vehicles
8409 91 00		1838550/2021	1057	Sprocket for continuous variable valve timing to optimize the process of filling the cylinders of an internal combustion engine of a passenger car with: <ul style="list-style-type: none"> - case, - rotor, - at least 4 screws, - spring, 	S	New	UNDER EXAMINATION	SK	Applicant	Round 2022-1 for use in the manufacture of engines of motor vehicles

				<ul style="list-style-type: none"> - of an external diameter of 80 mm or more but not exceeding 95 mm, - of a thickness of 25 mm or more but not more than 35 mm, for use in the manufacture of engines of motor vehicles (1)						
8413 30 20		1851555/2021	1063	High-pressure plunger pump for direct petrol injection: <ul style="list-style-type: none"> - with an operating pressure of not more than 90 MPa, - designed to contact the crankshaft, - with an electromagnetic valve 	S	New	UNDER EXAMINATION	SE	Applicant	Round 2022-1 used for vehicles and hybrid vehicles
8413 70 51		1788761/2021	1034	Electric brushless direct current motor with pump centrifugal impeller mounted on motor's shaft and volute with integrated heater of nominal power of 1800 W and soldered safety devices, with: <ul style="list-style-type: none"> - 9 slots stator - 6 pole rotor - rated power 95 W - volute with straight outlet - rotor chamber without sand filter 	S	New	UNDER EXAMINATION	PL	Applicant	Round 2022-1 In manufacture of home appliance products
8413 70 51		1788929/2021	1036	Electric brushless direct current motor with pump centrifugal impeller mounted on motor's shaft, volute with integrated heater, with: <ul style="list-style-type: none"> - 9 slots square or chain pole stator, - 6 pole rotor, - ferritic or rare earth magnets, - rated power of 95W or 80W, - heater of nominal power of 1800W and soldered or laser welded safety devices, - volute with or without clamped rubber outlet, 	S	New	UNDER EXAMINATION	PL	Applicant	Round 2022-1 In manufacture of home appliance products

				- rotor chamber with ultrasonic welded sand filter						
8413 70 51		1788882/2021	1035	Electric brushless direct current motor with pump centrifugal impeller mounted on motor's shaft and volute with integrated heater of nominal power of 1800 W and soldered safety devices, with: <ul style="list-style-type: none"> - 9 slots stator, - 6 pole rotor, - rated power 95 W, - volute with clamped rubber hose outlet, - rotor chamber without sand filter 	S	New	UNDER EXAMINATION	PL	Applicant	Round 2022-1 In manufacture of home appliance products
8414 59 35		1838515/2021	1056	Electric blower for cooling the high-voltage battery of a hybrid passenger car with, <ul style="list-style-type: none"> - a control unit, - MOSFET inverter, - a voltage of 9 V or more but not more than 16 V, - ambient temperature of – 40 °C or more, but not more than 80 °C, for use in the manufacture of hybrid passenger cars (1)	S	New	UNDER EXAMINATION	SK	Applicant	Round 2022-1 for use in the manufacture of hybrid passenger cars
8415 90 00		1789296/2021	1043	Aluminum connecting block for automotive air conditioning systems: <ul style="list-style-type: none"> - with a T6 hardening, - equipped with round stubs with a circumferential outer groove, - with through or non-through holes, made of profiles with an upper radius from 8 to 11 mm and a lower radius of 12 mm to 17 mm - with a distance between holes from 15 to 22 mm, - with sockets designed for brazing or clamping, 	S	New	UNDER EXAMINATION	PL	Applicant	Round 2022-1 The aluminum connecting block is primarily used as the component in manufacturing air-conditioning systems installed in cars.

				<ul style="list-style-type: none"> - with mounting holes for M6 or M8 mounting screw, with or without threaded or threaded versions, - with a width greater than 5 mm but less than 16 mm 						
8501 40 20		1789160/2021	1040	<p>Electric AC motor, single-phase, with:</p> <ul style="list-style-type: none"> - an output of 300 W or more but not more than 370 W, - an input power of 600 W or more but not more than 700 W, - an external diameter of 150 mm (\pm 0,3 mm) or more but not more than 170 mm (\pm0,3 mm), - a rated speed of 15 000 rpm or more but not more than 19 000 rpm, - a weight of 5 kg or more, <p>for manufacture of home appliance products (1)</p>	S	New	UNDER EXAMINATION	PL	Applicant	Round 2022-1 In manufacture of home appliance products
8501 40 20		1789049/2021	1038	<p>Electric AC motor, single- or three-phase, with:</p> <ul style="list-style-type: none"> - an output of 300 W or more but not more than 350 W, - an input power of 600 W or more but not more than 700 W, - an external diameter of 150 mm (\pm 0,3 mm) or more but not more than 170 mm (\pm0,3 mm), - a rated speed of 15 000 rpm or more but not more than 20 000 rpm, - a weight of 4,2 kg or more, <p>for manufacture of home appliance products (1)</p>	S	New	UNDER EXAMINATION	PL	Applicant	Round 2022-1 In manufacture of home appliance products.
8501 40 20		1789112/2021	1039	<p>Electric AC motor, three-phase, with:</p> <ul style="list-style-type: none"> - an output of 480 W or more but not more than 540 W, - an input power of 800 W or more but not more than 900 W, 	S	New	UNDER EXAMINATION	PL	Applicant	Round 2022-1 In manufacture of home appliance products

				<ul style="list-style-type: none"> - an external diameter of 150 mm (\pm 0,3 mm) or more but not more than 170 mm (\pm0,3 mm), - a rated speed of 15 000 rpm or more but not more than 20 000 rpm, - a weight of 6 kg or more but not more than 6,4 kg, for manufacture of home appliance products (1)						
8501 40 20		1789250/2021	1042	Electric AC motor, single-phase, with: <ul style="list-style-type: none"> - an output of 550 W or more but not more than 600 W, - an input power of 800 W or more but not more than 1000 W, - an external diameter of more than 150 mm (\pm 0,3 mm) but not more than 170 mm (\pm0,3 mm), - a rated speed of more than 16 000 rpm but not more than 18 000 rpm, - a weight of 3,4 kg or more but not more than 3,7 kg, for manufacture of home appliance products (1)	S	New	UNDER EXAMINATION	PL	Applicant	Round 2022-1 In manufacture of home appliance products.
8501 40 20		1789207/2021	1041	Electric AC motor, single-phase, with: <ul style="list-style-type: none"> - an output of 300 W or more but not more than 370 W, - an input power of 600 W or more but not more than 700 W, - an external diameter of 160 mm (\pm 0,3 mm) or more but not more than 180 mm (\pm 0,3 mm), - a rated speed of 15 000 rpm or more but not more than 19 000 rpm, - a weight of not more than 4,4 kg, for manufacture of home appliance product (1)	S	New	UNDER EXAMINATION	PL	Applicant	Round 2022-1 In manufacture of home appliance products.

8501 40 20		1788975/2021	1037	<p>Electric AC motor, single-phase, with:</p> <ul style="list-style-type: none"> - an output of 80 W or more but not more than 190 W, - an input power of 280 W or more but not more than 350 W, - an external diameter of 145 mm (\pm 0,3 mm) or more but not more than 160 mm (\pm0,3 mm), - a rated speed of 2680 rpm or more but not more than 3000 rpm, - a weight of 4,2 kg or more but not more than 4,6 kg, <p>for manufacture of home appliance products (1)</p>	S	New	UNDER EXAMINATION	PL	Applicant	Round 2022-1 In manufacture of home appliance products.
8501 53 50		5002344/2020	1301	<p>Permanent magnet synchronous traction motor, with:</p> <ul style="list-style-type: none"> - a continuous power of 110 kW or more but not more than 180 kW, - a liquid cooled system, - a total length of 500 mm or more but not more than 650 mm, - a total width of 600 mm or more but not more than 700 mm, - a total height of 550 mm or more but not more than 650 mm, - weighing of not more than 350 kg, - 3 suspension points 	S	New	UNDER EXAMINATION	PL AT	Applicant Opposed	Round 2022-01 - roll over request. Round 2021-07 - rejected. Synchronous traction motor, generating a moment, which is later transmitted to the wheels of the vehicle.
8708 94 20		1849175/2021	1058	<p>Steel telescopic shaft for connecting a steering column with steering of a motor vehicle:</p> <ul style="list-style-type: none"> - with a cardan joint on both ends, - with a coupling on both ends having internal serration, - with a telescopic scope of the shaft of 20 mm or more, but not more than 100 mm, <p>for use in the manufacture of goods of Chapter 87 (1)</p>	S	New	UNDER EXAMINATION	SK	Applicant	Round 2022-1 for use in the manufacture of goods of Chapter 87

8714 96 90		1764840/2021	1024	Crank arms, for bicycles with electric assist motor with bottom bracket drive (mid-motor), made of forged aluminium alloy, heat treated (solution annealed and artificially aged), with a crank mount for a 10-fold spline system (1)	S	New	UNDER EXAMINATION	DE	Applicant	Round 2022-1 used in the production bicycles with electric assist motor
------------	--	--------------	------	--	---	-----	-------------------	----	-----------	---

ex 2841 50 00	11	1503285/2017	3001	Potassium dichromate (CAS RN 7778-50-9) with a purity by weight of 99 % or more	S	Amendment	UNDER EXAMINATION	FR EU	Applicant Opposed	Round 2022-01 - objection. Substance listed in Annex XIV of REACH Regulation. Amendment, 2 % third country customs duty inserted. End date was set to 31.12.2021
ex 2842 10 00	40	1345815/2016	3206	NL(11.03.2020) new proposal: Aluminosilicate (CAS RN 1318-02-1) with <ul style="list-style-type: none"> - a purity by weight of 94 % or more, - a zeolite structure of aluminophosphate-eighteen (AEI), and - a phase purity of 90 % or more for use in the manufacture of copper zeolite --- Current product description: Aluminosilicate (CAS RN 1318-02-1) with a zeolite structure of Aluminophosphate-eighteen (AEI) for use in the manufacture of catalytic preparations (1)	S	Amendment	UNDER EXAMINATION	UK NL	Applicant	Round 2022-01 - request for amendment + prolong. item. EU producer will replace UK as an applicant. Component will be used in the manufacture of automotive catalyst

ex 2903 39 26	10	3118/04 775926/2014 PROLONG 2020	3204	<p>NL(04.03.2021) new proposal: 1,1,1,2-Tetrafluoroethane (CAS RN 811-97-2) conforming to the following specifications:</p> <ul style="list-style-type: none"> - not more than 600 ppm by weight of R134 (1,1,2,2-tetrafluoroethane), - not more than 5 ppm by weight of R143a (1,1,1-trifluoroethane), - not more than 2 ppm by weight of R125 (pentafluoroethane), - not more than 100 ppm by weight of R124 (1-chloro-1,2,2,2-tetrafluoroethane), - not more than 30 ppm by weight of R114 (1,2-dichlorotetrafluoroethane), - not more than 50 ppm by weight of R114a (1,1-dichlorotetrafluoroethane), - not more than 250 ppm by weight of R133a (1-chloro-2,2,2-trifluoroethane), - not more than 2 ppm by weight of R22 (chlorodifluoromethane), - not more than 2 ppm by weight of R115 (chloropentafluoroethane), - not more than 2 ppm by weight of R12 (dichlorodifluoromethane), - not more than 20 ppm by weight of R40 (methyl chloride), - not more than 20 ppm by weight of R245cb (1,1,1,2,2-pentafluoropropane), - not more than 20 ppm by weight of R12B1 (chlorodifluorobromomethane), - not more than 20 ppm by weight of R32 (difluoromethane), - not more than 15 ppm by weight of R31 (chlorofluoromethane), - not more than 10 ppm by weight of R152a (1,1-difluoroethane), - not more than 20 ppm by weight of 1131 (1-chloro-2-fluoroethylene), - not more than 20 ppm by weight of 1122 (1-chloro-2,2-difluoroethylene), 	S	Amendment	UNDER EXAMINATION	UK UK	Applicant Applicant	<p>Round 2022-01 - request for amendment.</p> <p>for use with or without further purification as an under GMP (Good Manufacturing Practice) produced inhalation grade of HFC 134a in the manufacture of a propellant for medical aerosols whose contents are absorbed in the oral or nasal cavities, and/or the respiratory tract</p>
---------------	----	---	------	--	---	------------------	----------------------	----------	------------------------	---

			<ul style="list-style-type: none"> - not more than 3 ppm by weight of 1234yf (2,3,3,3-tetrafluoropropene), - not more than 3 ppm by weight of 1243zf (3,3,3-trifluoropropene), - not more than 3 ppm by weight of 1122a (1-chloro-1,2-difluoroethylene), - not more than 4,5 ppm by weight of 1234yf+1122a+1243zf (2,3,3,3-tetrafluoropropene + 1-chloro-1,2-difluoroethylene + 3,3,3-trifluoropropene), - not more than 3 ppm by weight of any individual unspecified/unknown chemical, - not more than 10 ppm by weight of all unspecified/unknown chemicals combined, - not more than 10 ppm by weight of Water, - with an acidity level of not more than 0,1 ppm by weight, - without halides, - not more than 0,01 % by volume of high boilers, - without any odour (no malodour), <p>for use with or without further purification as an under GMP (Good Manufacturing Practice) produced inhalation grade of HFC 134a in the manufacture of a propellant for medical aerosols whose contents are absorbed in the oral or nasal cavities, and/or the respiratory tract</p> <p>---</p> <p>Current product description: 1,1,1,2-Tetrafluoroethane feedstock for pharmaceutical grade production conforming to the following specification:</p> <ul style="list-style-type: none"> - not more than 600 ppm by weight of R134 (1,1,2,2-tetrafluoroethane), 						
--	--	--	---	--	--	--	--	--	--

				<ul style="list-style-type: none"> - not more than 5 ppm by weight of R143a (1,1,1-trifluoroethane), - not more than 2 ppm by weight of R125 (pentafluoroethane), - not more than 100 ppm by weight of R124 (1-chloro-1,2,2,2-tetrafluoroethane), - not more than 30 ppm by weight of R114 (1,2-dichlorotetrafluoroethane), - not more than 50 ppm by weight of R114a (1,1-Dichlorotetrafluoroethane), - not more than 250 ppm by weight of R133a (1-Chloro-2,2,2-Trifluoroethane), - not more than 2 ppm by weight of R22 (Chlorodifluoromethane), - not more than 2 ppm by weight of R115 (Chloropentafluoroethane), - not more than 2 ppm by weight of R12 (Dichlorodifluoromethane), - not more than 20 ppm by weight of R40 (Methyl chloride), - not more than 20 ppm by weight of R245cb (1,1,1,2,2-pentafluoropropane), - not more than 20 ppm by weight of R12B1 (Chlorodifluorobromomethane), - not more than 20 ppm by weight of R32 (Difluoromethane), - not more than 15 ppm by weight of R31 (Chlorofluoromethane), - not more than 10 ppm by weight of R152a (1,1-Difluoroethane), - not more than 20 ppm by weight of 1131 (1-Chloro-2-Fluoroethylene), - not more than 20 ppm by weight of 1122 (1-Chloro-2,2-Difluoroethylene), - not more than 3 ppm by weight of 1234yf (2,3,3,3-Tetrafluoropropene), - not more than 3 ppm by weight of 1243zf (3,3,3 Trifluoropropene), 						
--	--	--	--	---	--	--	--	--	--	--

				<ul style="list-style-type: none"> - not more than 3 ppm by weight of 1122a (1-chloro-1,2-difluoroethylene), - not more than 4,5 ppm by weight of 1234yf+1122a+1243zf (2,3,3,3-tetrafluoropropene, +1-Chloro-1,2-Difluoroethylene+3,3,3-Trifluoropropene), - not more than 3 ppm by weight of any individual unspecified/unknown chemical, - not more than 10 ppm by weight of all unspecified/unknown chemicals combined, - not more than 10 ppm by weight of Water, - with an acidity level of not more than 0.1 ppm by weight, - without Halides, - not more than 0.01 % by volume of High Boilers, - without any odour (no malodour) <p>for further purification to an inhalation grade of HFC 134a produced under GMP (Good Manufacturing Practice) for use in the manufacture of a propellant for medical aerosols whose contents are taken into the oral or nasal cavities, and/or the respiratory tract (CAS RN 811-97-2)</p> <p>(1)</p>						
ex 2903 89 80	45	504/1/1986 PROLONG 2019	3002	1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo [12.2.1.1.1 ^{6,9} .0 ^{2,13} .0 ^{5,10}]octadeca-7,15-diene (CAS RN 13560-89-9) with a purity by weight of 99 % or more	S	Amendment	UNDER EXAMINATION	FR EU	Applicant Opposed	Round 2022-01 - objection. Substance listed in Annex XIV of REACH Regulation. 2 % third country customs duty inserted. End date was set to 31.12.2021

ex 2924 19 00	23	2514/3/04 PROLONG 2019	3003	Acrylamide (CAS RN 79-06-1) with a purity by weight of 97 % or more	S	Amendment	UNDER EXAMINATION	NL EU	Applicant Opposed	Round 2022-01 - objection. Substance listed in Annex XIV of REACH Regulation. 2 % third country customs duty inserted. End date was set to 31.12.2021
ex 2933 39 99	88	1791347/2020	3000	Benzyl 4-amino-3-chloro-6-(4-chloro-2-fluoro-3-methoxyphenyl)-5-fluoropyridine-2-carboxylate (CAS RN 1390661-72-9) with a purity by weight of 92 % or more	S	Amendment	UNDER EXAMINATION	FR	Applicant	Round 2022-01 - amendment. pesticide active ingredient will be used to manufacture final plant protection product formulation
ex 3204 15 00	20	5986122/2019	3100	Colourant C.I. Vat Blue 1 (CAS RN 482-89-3) and preparations based thereon with a colourant C.I. Vat Blue 1 content of 94 % or more by weight	S	Amendment	UNDER EXAMINATION	TR DE	Applicant Opposed	Round 2022-01 - objection
ex 3802 10 00	20	4565219/2017	3205	DE(15.03.2021) new proposal: Activated carbon, chemically activated carbon for the absorption and desorption of vapors in a defined or irregular shape with an effective butane capacity of 5 butane / 100 ml or more (according to ASTM D 5228) ---- Current product description: Chemically activated carbon in granular form with a Butane Working Capacity of 11 g butane/100 ml or more (as determined by the ASTM D 5228	S	Amendment	UNDER EXAMINATION	PL	Applicant	Round 2022-01:request for amendment ROUND 2018 Activated Carbon in either: Granular form or Pellet (cylindrical) form. for installation in automobile.

				method) used for vapour absorption and desorption in emission control canisters of motor vehicles (1)						
ex 3902 90 90	98	883/06	3501	<p>BE(05.03.2021) new proposal: Synthetic poly-alpha-olefin with a viscosity of 3 or more but not more than 9 centistokes (measured at 100 ° Celsius according to the ASTM D 445 method), obtained by polymerization of dodecene with or without:</p> <ul style="list-style-type: none"> - not more than 40 % by weight of tetradecene and/or - not more than 2 % by weight decene and/or - not more than 2 % by weight of hexadecene <p>---</p> <p>Current product description: Synthetic poly-alpha-olefin with a viscosity at 100° Celsius (measured according to method ASTM D 445) ranging from 3 centistokes to 9 centistokes and obtained by polymerization of a mixture of dodecene and tetradecene, containing a maximum of 40 % of tetradecene</p>	S	Amendment	UNDER EXAMINATION	BE	Applicant	<p>Round 2022-01 - request fro amendment.</p> <p>trade names : Durasyn 125, Durasyn 126, Durasyn 127, Durasyn 128, Durasyn 145, Durasyn 147 and Durasyn 156</p>
ex 3920 61 00	40	1609442/2020	3203	<p>DE(08.03.2021) new proposal without end use: Requested amended description Extruded thermoplastic foils or films of polycarbonate with:</p> <ul style="list-style-type: none"> - matt surface texture on both sides - a thickness of more than 50 µm but not more than 200 µm, - a width of 800 mm or more, but not more than 1 500 mm, and 	S	Amendment	UNDER EXAMINATION	DE	Applicant	<p>Round 2022-01 - requests for amendment.</p> <p>Manufacture of micro prismatic retroreflective films for use in traffic safety products.</p>

				<p>- a length of 300 m or more, but not more 2500 m</p> <p>---</p> <p>Current product description: Extruded thermoplastic foils or films of polycarbonate with:</p> <ul style="list-style-type: none"> - matt surface texture on both sides, - a thickness of more than 50 µm but not more than 200 µm, - a width of 800 mm or more, but not more than 1 500 mm, and - a length of 915 m or more, but not more 2 500 m, <p>for use in the production of retroreflective products (1)</p>						
ex 3926 90 97	33	753915/2014 PROLONG 2020	3211	<p>AT(12.03.2021) new proposal: Housings, housing parts, drums, setting wheels, frames, covers, upper part, design plate and other parts of acrylonitrile-butadiene-styrene, polycarbonate, polymethylmethacrylate or thermoplastic polyurethane, of a kind used for the manufacture of remote controls</p> <p>----</p> <p>Current product description: Housings, housing parts, drums, setting wheels, frames, covers and other parts of acrylonitrile-butadiene-styrene or polycarbonate, of a kind used for the manufacture of remote controls</p>	S	Amendment	UNDER EXAMINATION	AT	Applicant	<p>Round 2022-01 - request for amendment.</p> <p>The requested articles are housings and various small parts (housing parts, drums, setting wheels etc.) used in for the production of remote controls</p>
ex 7601 20 20	10	1073/2007	3210	<p>AT+ SL(12.03.2021) new proposal: Slabs and billets of aluminium alloy containing by weight 0,8 % or more of lithium</p> <p>---</p>	S	Amendment	UNDER EXAMINATION	FR	Applicant	<p>Round 2022-01 - request for amendment.</p>

				Current product description: Slabs and billets of aluminium alloy containing lithium						
ex 8104 19 00	10	1710324/2020	3101	Unwrought magnesium containing 90 % or more but not more than 99,7 % by weight of magnesium	S	Amendment	UNDER EXAMINATION	DE AT DE	Applicant Co-applicant Opposed	Round 2022-01- Objection Production of Steering wheel - frame skeleton from magnesium die casting alloys.
8409 91 00 ex 8409 99 00	70	1378927/2017	3116	HU(10.03.2021) new proposal: Metal alloy intake and exhaust valve with a Rockwell hardness HRC 20 or more, but not more than HRC 50 for use in the manufacture of spark or compression ignition engines of motor vehicles --- Current product description: Metal alloy intake and exhaust valve with a Rockwell hardness HRC 20 or more, but not more than HRC 50 for use in the manufacture of compression ignition engines of motor vehicles (1)	S	Amendment	UNDER EXAMINATION	SK	Applicant	Round 2022-01 - request for amendment. The intake and exhaust valve
ex 8409 99 00	65	4765326/2018	3202	SK(05.03.2021) new proposal: The exhaust gas recirculation assembly consisting of: - a control unit, - an air throttle, - an intake pipe, - an outlet hose, for use in the manufacture of combustion engines of motor vehicles ----- Current product description: The exhaust gas recirculation assembly consisting of: - a control unit,	S	Amendment	UNDER EXAMINATION	SK	Applicant	Round 2022-01 request for amendment.

				<ul style="list-style-type: none"> - an air throttle, - an intake pipe, - an outlet hose, for use in the manufacture of diesel engines of motor vehicles (1)						
ex 8412 90 80	20	4952758/2020	3207	<p>DE(04.03.2021) new proposal: Bedplate made of solution strengthened ductile iron castings (SSDI), for anchoring and aligning the drive train (gearbox, pedestal bearing, rotor shaft) of a wind turbine with:</p> <ul style="list-style-type: none"> - a length of 3,5 m or more but not more than 4,5 m, - a width of 2 m or more but not more than 4,2 m, - a height of 1 m or more, but not more than 1,3 m, - a weight of 11 tons or more but not more than 21,5 tons, - mounting bores for yawdrive, - mounting flange for gearbox support, - drivetrain mount, - different screw sockets <p>-----</p> <p>Current product description: Bedplate made of solution strengthened ductile iron castings (SSDI), for anchoring and aligning the drive train (gearbox, pedestal bearing, rotor shaft) of a wind turbine with:</p> <ul style="list-style-type: none"> - a length of 3,5 m or more but not more than 4,3 m, - a width of 2 m or more but not more than 3,5 m, - a height of 1 m or more but not more than 1,3 m, - a weight of 11 tons or more but not more than 20 tons, - mounting bores for yaw drive, 	S	Amendment	UNDER EXAMINATION	DE	Applicant	Round 2022-01 - request for amendment. for installation in wind turbines

				<ul style="list-style-type: none"> - mounting flange for gearbox support, - drivetrain mount, - different screw sockets 						
ex 8479 89 97	35	1485985/2018	3108	<p>HU(10.03.2021) new proposal: Mechanical unit ensuring the movement of the camshaft with:</p> <ul style="list-style-type: none"> - 6 or 8 oil chambers, - a phasing range of at least 18°, but not more than 62°, - a steel and/or steel alloy sprocket, - a steel and/or steel alloy and/or aluminium alloy rotor <p>----</p> <p>Current product description: Mechanical unit ensuring the movement of the camshaft with:</p> <ul style="list-style-type: none"> - 8 oil chambers, - a phasing range of at least 38°, but not more than 62°, - a steel and/or steel alloy sprocket, - a steel and/or steel alloy rotor 	S	Amendment	UNDER EXAMINATION	HU	Applicant	<p>Round 2022-01 - amendment.</p> <p>The product is used for the manufacture of parts (components) used in the automotive industry for controlling the injection of the fuel into the engine.</p>
ex 8501 10 99	64	3869531/2015	3102	<p>DC motor to control angular position of the flap to adjust gas flow in the Air Throttle and EGR valve:</p> <ul style="list-style-type: none"> - with Ingress Protection (IP) standard of IP69, - with a rotor speed of not more than 6 500 rpm when not loaded, - with a rated voltage of 12,0 V (± 0,1), - of a specified temperature range of – 40 °C or more but not more than + 165 °C, - with or without a connecting pinion, - with or without an engine connector, - with or without a flange, - with a diameter of not more than 40 mm (not including the flange), 	S	Amendment	UNDER EXAMINATION	PL DE	Applicant Opposed	<p>Round 2022-01 - roll over</p> <p>DC motors are an integral part of a car throttle. Their function is to provide correct rotation of the throttle valve which is responsible for supplying the correct amount of air to the car engine.</p>

				- with an overall height of not more than 90 mm (from the base to the pinion)						
ex 8501 10 99	70	3042035/2013 PROLONG 2019	3109	<p>HU(10.03.20214) new proposal: DC stepping motor, with:</p> <ul style="list-style-type: none"> - a two-phase winding, - a rated voltage of 9 V or more, but not more than 16,0 V, - of a specified temperature range covering at least -40 °C to + 105 °C, - with or without connection pinion - with or without motor drive connector <p>----</p> <p>Current product description: DC stepping motor, with</p> <ul style="list-style-type: none"> - an angle of step of 7,5 ° (± 0,5 °) - a two-phase winding, - a rated voltage of 9 V or more, but not more than 16,0 V - of a specified temperature range covering at least - 40 °C to + 105 °C - with or without connecting pinion - with or without motor drive connector 	S	Amendment	UNDER EXAMINATION	AT	Applicant	<p>Round 2022-01 - amendment.</p> <p>The motors are used for ventilation control of cars.</p>
ex 8501 31 00	37	229971/2009 PROLONG 2015 PROLONG 2020	3208	<p>AT(12.03.2021) new proposal: Permanently excited DC motor with:</p> <ul style="list-style-type: none"> - an external diameter of 30 mm or more but not more than 90 mm, including mounting flange, - a rated speed of not more than 15 000 rpm, - an output of 45 W or more but not more than 400 W, and - a supply voltage of 9 V or more but not more than 50 V, - whether or not a multiple-phase winding, - whether or not with a drive disc, - whether or not with a crankcase, - whether or not with a fan, 	S	Amendment	UNDER EXAMINATION	AT	Applicant	Round 2022-01: Request for amendment.

				<ul style="list-style-type: none"> - whether or not with a cap assembly, - whether or not with a sun gear, - whether or not with a speed and rotational direction encoder, - whether or not with or without a speed or rotational direction sensor of resolver type or Hall effect type, - whether or not with a mounting flange <p>---</p> <p>Current product description: Permanently excited DC motor with</p> <ul style="list-style-type: none"> - a multiple-phase winding, - an external diameter of 30 mm or more but not more than 90 mm, including mounting flange, - a rated speed of not more than 15 000 rpm, - an output of 45 W or more but not more than 400 W, and - a supply voltage of 9 V or more but not more than 50 V, - whether or not with a drive disc, - whether or not with a crankcase, - whether or not with a fan, - whether or not with a cap assembly, - whether or not with a sun gear, - whether or not with a speed and rotational direction encoder, - whether or not with or without a speed or rotational direction sensor of resolver type or Hall effect type, - whether or not with a mounting flange 						
ex 8501 31 00 ex 8501 32 00	43 55	3812069/2015	3110	<p>PL(08.03.2021)- new proposal: Ready for installation in vehicles or equipment of headings 8432 and 8433, brushless and permanently excited direct current motor with:</p>	S	Amendment	UNDER EXAMINATION	DE	Applicant	Round 2022-01- request for amendment. brushless, permanent-magnet synchronous motor

				<ul style="list-style-type: none"> - a specified speed of not more than 4 100 rpm, - a minimum output of 400 W, but not more than 1,3 kW (at 12V), - a flange diameter of 85 mm or more, but not more than 200 mm, - a maximum length of 335 mm, measured from the beginning of the shaft to the outer ending, - a housing length of not more than 265 mm, measured from the flange to the outer ending, - a maximum of two-piece (basic housing including electric components and flange with minimum 2 and maximum 11 bore holes) aluminium diecast or sheet steel housing whether or not with a sealing compound (groove with an O-ring and grease), - a stator with single T-tooth design and single coil windings in 9/6 or 12/8 topology, and - surface magnets, - whether or not with electronic power steering controller <p>----</p> <p>Current product description: Automotive-ready, brushless and permanently excited direct current motor with:</p> <ul style="list-style-type: none"> - a specified speed of not more than 4 100 rpm, - a minimum output of 400 W, but not more than 1,3 kW (at 12V), - a flange diameter of 85 mm or more but not more than 200 mm, - a maximum length of 335 mm, measured from the beginning of the shaft to the outer ending, 					
--	--	--	--	--	--	--	--	--	--

				<ul style="list-style-type: none"> - a housing length of not more than 265 mm, measured from the flange to the outer ending, - a maximum of two-piece (basic housing including electric components and flange with minimum 2 and maximum 11 bore holes) aluminium diecast or sheet steel housing whether or not with a sealing compound (groove with an O-ring and grease), - a stator with single T-tooth design and single coil windings in 9/6 or 12/8 topology, and - surface magnets, - whether or not with electronic power steering controller, - whether or not with pulley, - whether or not with rotor position sensor 						
ex 8503 00 91 ex 8503 00 99	31 32	731/1/1996 PROLONG 2019	3111	<p>HU(10.03.2021) new proposal: Rotor, at the inner side provided with one or two magnetic rings (uniform or sectional) whether or not incorporated in a steel ring or bearing mounted steel housing ---</p> <p>Current product description: Rotor, at the inner side provided with one or two magnetic rings (uniform or sectional) whether or not incorporated in a steel ring</p>	S	Amendment	UNDER EXAMINATION	FR	Applicant	Round 2022-01- amendment
ex 8503 00 99	75	1766798/2019	3112	<p>HU(10.03.2021)new proposal: Stator body of stacked electrical sheet having:</p> <ul style="list-style-type: none"> - an inner diameter of 18 mm or more, but not more than 35 mm, - an outer diameter of 35 mm or more, but not more than 65 mm, and - a leght of 20 mm or more, but not more than 65 mm, 	S	Amendment	UNDER EXAMINATION	AT	Applicant	Round 2022-01 - request for amendment. Round 2020-01 used in the production of brushless electrical motors

				<ul style="list-style-type: none"> - whether or not incorporated in a housing <p>----</p> <p>Current product description: Stator body of stacked electrical sheet having:</p> <ul style="list-style-type: none"> - an inner diameter of 18 mm or more, but not more than 35 mm, - an outer diameter of 35 mm or more, but not more than 65 mm, and - a length of 20 mm or more, but not more than 65 mm 						
ex 8512 20 00	20	3033860/2014 PROLONG 2020	3201	<p>SK(05.03.2021) new proposal: Information screen displaying:</p> <ul style="list-style-type: none"> - time, date and status of safety features in a vehicle, <p>or</p> <ul style="list-style-type: none"> - safety information on driving in the lane, blind spot, distance from the vehicle in front, current speed, speed limit, - with an operating voltage of 12 V or more, but not more than 14,4 V, of a kind used in the manufacturing of goods of Chapter 87 <p>---</p> <p>Current product description: Information screen displaying at least time, date and status of safety features in a vehicle with an operating voltage of 12 V or more, but not more than 14,4 V, of a kind used in the manufacturing of goods of Chapter 87</p>	S	Amendment	UNDER EXAMINATION	SK	Applicant	Round 2022-01 - request for amendment. used in cars
ex 8527 29 00 ex 8529 90 65	10 38	1726997/2020	3113	<p>HU(10.03.2021) new proposal: Satellite radio receiver module:</p> <ul style="list-style-type: none"> - with a rectangular shape of dimensions 41,7 x 32,4 x 3,85 mm ($\pm 25\%$), 	S	Amendment	UNDER EXAMINATION	HU	Applicant	Round 2022-01 - request for amendment. Satellite radio receiver module

				<ul style="list-style-type: none"> - comprising of heat sink and a printed circuit board with resistors, capacitors, - transistors, coils, diodes and IC, - being able to process radio frequency signals, - with a medium frequency unit, <p>for use in the manufacture of products falling under heading 8527, 8528, 8529</p> <p>---</p> <p>Current product description: Satellite radio receiver module:</p> <ul style="list-style-type: none"> - with a rectangular shape of dimensions 70,5 x 44,9 x 10,5 mm, - comprising of heat sink and a printed circuit board with resistors, capacitors, transistors, coils, diodes and IC, - being able to process radio frequency signals, - with a medium frequency unit, <p>for use in the manufacture of products falling under heading 8527 (1)</p>						
ex 8529 90 65	28	1144223/2015	3503	<p>DE(04.03.2021) new proposal: Electronic assembly comprising at least:</p> <ul style="list-style-type: none"> - a printed circuit board with, - one or more FPGAs (Field Programmable Gate Array) and/or processors for multi-media applications and video signal processing, - operating memory, - with or without flash memory, - with or without one or more USB, HDMI, VGA-, RJ-45 and/or other multimedia interfaces, - with or without sockets and plugs for connecting a LCD-display, a LED lighting and a control panel 	S	Amendment	UNDER EXAMINATION	AT	Applicant	<p>ROUND 2022-01: request for amendment.</p> <p>The assembly is designed for processing of incoming image data derived from a camera and of control signals, for storing and for outputting these image data to the network interface (wire bound or wireless) or to connected (wire bound or wireless) multimedia devices</p>

				<p>---</p> <p>Current product description: Electronic assembly comprising at least:</p> <ul style="list-style-type: none"> - a printed circuit board with, - one or more FPGAs (Field Programmable Gate Array) and/or processors for multi-media applications and video signal processing, - flash memory, - operating memory, - with or without one or more USB, HDMI, VGA-, RJ-45 and/or other multimedia interfaces, - sockets and plugs for connecting a LCD-display, a LED lighting and a control panel 						
ex 8537 10 98 8538 90 99	65	5559923/2016	3500	<p>Lever for control module under the steering wheel:</p> <ul style="list-style-type: none"> - with one or more single or multi-positional electrical switches (push-button, rotary or other), - whether or not equipped with printed circuit boards and electrical cables, - for a voltage of 9 V or more but not more than 16 V, <p>of a kind used in the manufacture of motor vehicles of Chapter 87</p>	S	Amendment	UNDER EXAMINATION	FR	Applicant	ROUND 2022-01: Request for amendment (new CN code + change in DE language version). used in the manufacture of motor vehicles of Chapter 87
ex 8708 91 20 ex 8708 91 99	30 30	3869504/2015 PROLONG 2021	3115	<p>PL(09.03.2021) new text proposal: Aluminium alloy inlet or outlet air tank of heat exchangers for car cooling systems, manufactured to standard EN AC 42100 or EN AC 43000 T6 with:</p> <ul style="list-style-type: none"> - an insulating area flatness of not more than 0,1mm, - a permissible particle quantity of 0,3 mg per tank, - a distance between pores of 2 mm or more, 	S	Amendment	UNDER EXAMINATION	PL	Applicant	Round 2022-01 - request for amendment. The inlet or outlet air tank is an integral part of a car heat exchanger of charge-air. In order to provide proper quality and durability, as well as, required anti-corrosion properties the air tanks are manufactured from

				<ul style="list-style-type: none"> - pore sizes of not more than 0,4 mm, and - not more than 3 pores larger than 0,2mm, - with a weight of 0,2 kg or more but not more than 3 kg <p>-----</p> <p>Current product description: Aluminium alloy inlet or outlet air tank manufactured to standard EN AC 42100 with:</p> <ul style="list-style-type: none"> - an insulating area flatness of not more than 0,1 mm, - a permissible particle quantity of 0,3 mg per tank, - a distance between pores of 2 mm or more, - pore sizes of not more than 0,4 mm, and - not more than 3 pores larger than 0,2 mm, <p>of a kind used in heat exchangers for car cooling systems</p>						the EN AC 42100 aluminum alloy.
ex 8708 94 20 ex 8708 94 35	10 20	3033605/2014 PROLONG 2020	3114	<p>SE- new proposal: Rack steering gear in aluminium housing with or without homokinetic hinges of a kind used in the manufacture of goods of Chapter 87</p> <p>-----</p> <p>Current product description: Rack steering gear in aluminium housing with homokinetic hinges of a kind used in the manufacture of goods of Chapter 87</p>	S	Amendment	UNDER EXAMINATION	SK	Applicant	Round 2022-01- request for amendment. used in the manufacture of goods of Chapter 87

CN code	TARIC	Reference Mail	Working Number	Description	<u>Suspensions (Battery related products)</u>	amendment	Measure status	Partner Position Country	Partner Position	Public Comments
ex 2825 20 00	10	6011549/2019	0900	Lithium hydroxide monohydrate (CAS RN 1310-66-3)	S	Amendment	UNDER EXAMINATION	SE EU	Applicant Opposed	Round 2022-01 – review. Used in lithium ion battery technology.
ex 2841 90 85	10	1060/2007	0901	Lithium cobalt(III) oxide (CAS RN 12190-79-3) with a cobalt content of at least 59 %	S	Amendment	UNDER EXAMINATION	DE EU	Applicant Opposed	Round 2022-01:Review of the suspension. Used for batteries
ex 2920 90 10	15	1432061/2018	0902	Ethyl methyl carbonate (CAS RN 623-53-0)	S	Amendment	UNDER EXAMINATION	CZ EU	Applicant Opposed	Round 2022-01: Review of the measure used in the formulated electrolyte for lithium ion batteries
ex 3801 10 00	20	1816782/2020	0903	Artificial graphite (CAS RN 7782-42-5) powder form, with: - specific surface area (measured by BET) of 0,8 m ² /g (± 0,25), - tap density: 0,85 g/cm ³ (± 0,10), - particle size represented by d50 value of 21,0 µm (± 2,0), - specific discharge capacity of 351,0 mAh/g (± 3,0), - initial efficiency of 94,0 % (± 2,0)	S	Amendment	UNDER EXAMINATION	PL EU	Applicant Opposed	Round 2022-01- review of the suspension Artificial Graphite powder form for batteries
ex 3801 10 00	30	1731611/2020	0904	Artificial graphite in powder form, (CAS RN 7782-42-5) with: - with or without coating on the surface, - particle size represented by d50 value of 15 µm (± 4), - specific surface area (measured by BET) less than 3,5 m ² /g, - tap density: 1,3 g/m ³ (± 0,5),	S	Amendment	UNDER EXAMINATION	SE DE EU	Applicant Opposed	Round 2022-01 - review of the suspension. Artificial graphite for batteries

				<ul style="list-style-type: none"> - specific Discharge Capacity of 348 mAh/g (\pm 13), - initial efficiency above 93,0 % 						
ex 3824 99 92	52	1697432/2019	0905	<p>Electrolyte containing:</p> <ul style="list-style-type: none"> - 5 % or more but not more than 20 % lithium hexafluorophosphate (CAS RN 21324-40-3) or lithium tetrafluoroborate (CAS RN 14283-07-9), - 60 % or more but not more than 90 % of a mixture of ethylene carbonate (CAS RN 96-49-1), dimethyl carbonate (CAS RN 616-38-6) and/or ethyl methyl carbonate (CAS RN 623-53-0), - 0,5 % or more but not more than 20 % 1,3,2-dioxathiolane 2,2-dioxide (CAS RN 1072-53-3), <p>for use in the manufacture of motor vehicle batteries (1)</p>	S	Amendment	UNDER EXAMINATION	PL EU	Applicant Opposed	Round 2022-01: review of the suspension. for use in the manufacture of motor vehicle batteries
ex 3824 99 92	93	5064665/2020	0906	<p>Solution of not more than 15 % by weight of lithium hexafluorophosphate (CAS RN 21324-40-3) in a mixture of ethylene carbonate (CAS RN 96-49-1), dimethyl carbonate (CAS RN 616-38-6) and ethyl methyl carbonate (CAS RN 623-53-0), contains organic carbonate derivatives as additives</p>	S	Amendment	UNDER EXAMINATION	DE EU	Applicant Opposed	Round 2022-01 - review of the suspension. used in production of batteries
ex 3824 99 96	45	1564962/2017	0907	<p>Lithium nickel cobalt aluminium oxide powder (CAS RN 177997-13-6) with:</p> <ul style="list-style-type: none"> - a particle size of less than 10 μm, - a purity by weight of more than 98 % 	S	Amendment	UNDER EXAMINATION	HU EU	Applicant Opposed	Round 2022-01:review of the measure. The imported product is used in lithium-ion battery production for electrical vehicles (EV) and within this it is used in the

										manufacture of cathode material.
ex 3824 99 96	68	5063896/2020	0908	Lithium nickel dioxide (CAS RN 12325-84-7) containing by weight: <ul style="list-style-type: none"> - less than 5 % of lithium hydroxide (CAS RN 1310-65-2), - less than 5 % of lithium carbonate (CAS RN 554-13-2), and - less than 15 % of nickel oxide (CAS RN 11099-02-8) 	S	Amendment	UNDER EXAMINATION	DE EU	Applicant Opposed	Round 2022-01- review of the measure. used for production of batteries
ex 3919 10 80	48	4874236/2020	0909	Plastic strips of polypropylene, <ul style="list-style-type: none"> - self-adhesive, - unilaterally adhesive-coated with an Acrylic Polymer, - in rolls with a width of 20 cm or less, - with a thickness including adhesion layer of 0,03 mm or less, for use in the manufacturing of lithium-ion electric rechargeable batteries (1)	S	Amendment	UNDER EXAMINATION	DE EU	Applicant Opposed	Round 2022-01 - review of the measure. used in production of batteries. Battery Electrolyte Adhesive Tape
ex 3921 19 00	40	3938612/2015	0910	Transparent, microporous, acrylic acid grafted polyethylene film, in the form of rolls, with: <ul style="list-style-type: none"> - a width of 98 mm or more but not more than 170 mm, - a thickness of 15 µm or more but not more than 36 µm, of a kind used for the manufacture of alkaline battery separators	S	Amendment	UNDER EXAMINATION	FR EU	Applicant Opposed	Round 2022-01: Review of the measure. Polyethylene membrane grafted with acrylic acid to be used in the manufacturing of alkaline battery separators.
ex 3921 19 00	45	1489232/2017	0911	Microporous monolayer film of polypropylene or a microporous trilayer film of polypropylene, polyethylene and polypropylene, each film with: <ul style="list-style-type: none"> - zero transversal production direction (TD) shrinkage, - a total thickness of 8 µm or more, but not more than 50 µm, 	S	Amendment	UNDER EXAMINATION	DE EU	Applicant Opposed	Round 2022-01: Review of the measure. Main usages of these films are: - separator for Lithium ion battery systems

				<ul style="list-style-type: none"> - a width of 15 mm or more, but not more than 900 mm, - a length of more than 200 m, but not more than 8 000 m, - an average pore size between 0,02 µm and 0,1 µm, - laminated or not with a Polypropylene non-woven mat of 50 to 200 µm thickness, - coated or not with surfactant, - coated or not on 1 or 2 sides with a ceramic layer of min 1 µm thickness or more, but not more than 5 µm, - coated or not on 1 or 2 sides with a sticky binder, PVdF type or similar of min 0,5 µm thickness or more, but not more than 5 µm 						<ul style="list-style-type: none"> - separator for aqueous systems like Zinc/Air, Nickel Cadmium, Silver/Zinc, ... battery systems - controlled release membrane for gas, liquid, etc...
ex 7607 11 90 ex 7607 11 90	65 67	862/2006	0912	<p>Plain aluminium foil with the following parameters:</p> <ul style="list-style-type: none"> - an aluminium content of 99,98 % or more, - a thickness of 0,070 mm or more but not more than 0,125 mm, - with a cubic texture, <p>of a kind used for high voltage etching</p>	S	Amendment	UNDER EXAMINATION	FR EU	Applicant Opposed	Round 2022-01 - review of the suspension.
ex 7607 20 90	10	4697798/2018	0913	<p>Aluminium foil, in rolls:</p> <ul style="list-style-type: none"> - coated on one side with polypropylene or polypropylene and acid-modified polypropylene and on the other with polyamide and polyethylene terephthalate, with adhesive layers between them, - with a width of 200 mm or more, but not more than 400 mm, - with a thickness of 0,138 mm or more, but not more than 0,168 mm, <p>for use in the manufacture of lithium-ion battery cell covers (1)</p>	S	Amendment	UNDER EXAMINATION	PL EU	Applicant Opposed	<p>Round 2022-01 - review of the suspension.</p> <p>for use in the manufacture of lithium-ion battery cell covers</p>

ex 7616 99 90	35	1895600/2020	0914	<p>Aluminum plate with:</p> <ul style="list-style-type: none"> - a length of 36 mm or more but not more than 49 mm, - a width of 29,8 mm or more but not more than 45,2 mm, - a thickness of 0,18 mm or more but not more than 0,66 mm, <p>equipped with a polypropylene tape with:</p> <ul style="list-style-type: none"> - a length of 6,5 mm or more but not more than 16,5 mm, - a width of 39 mm or more but not more than 56 mm, - characteristic allowing to create solid joint with Pouch external layer by melting process assuring leak and pressure proof sealing of Cell, - resistance to influence of electrolyte, <p>for use in the manufacture of lithium-ion battery cells for motor vehicle batteries (1)</p>	S	Amendment	UNDER EXAMINATION	PL EU	Applicant Opposed	<p>Round 2022-01 - review of the suspension.</p> <p>aluminium plate (known as Lid) used as the positive output for manufacturing Li ion battery cells used in electric cars</p>
ex 8479 89 97	55	1731723/2020	0915	<p>Integrated automated turnkey machinery line for manufacturing jelly rolls of cylindrical lithium ion battery cells by winding, tab assembly and cutting of cathode, separator and anode</p>	S	Amendment	UNDER EXAMINATION	SE EU	Applicant Opposed	<p>Round 2022-01 - review of the suspension.</p> <p>Winding machinery line for winding of electrode in cylindrical lithium ion battery cells</p>
ex 8479 89 97	65	1732024/2020	0916	<p>Integrated automated turnkey machinery line for the assembly of battery cells to cylindrical lithium ion batteries with a speed of 300 parts per minute and production line</p>	S	Amendment	UNDER EXAMINATION	SE EU	Applicant Opposed	<p>Round 2022-01 - review of the</p> <p>Cell assembly machinery line for production of cylindrical lithium ion battery cells</p>
ex 8507 60 00	15	1144451/2015	0917	<p>Cylindrical lithium-ion-accumulators or modules with:</p>	S	Amendment	UNDER EXAMINATION	AT EU	Applicant Opposed	<p>Round 2022-01 - review of the measure</p>

				<ul style="list-style-type: none"> - a nominal capacity of 8,8 Ah or more, but not more than 18 Ah, - a nominal voltage of 36 V or more, but not more than 48 V, - a power of 300 Wh or more, but not more than 648 Wh, <p>for use in the manufacture of electric bicycles (1)</p>						for use in the manufacture of electric bicycles
ex 8507 60 00	17	1092430/2015	0918	<p>Lithium-ion starter accumulator, consisting of four rechargeable lithium-ion secondary cells, with:</p> <ul style="list-style-type: none"> - a rated voltage of 12 V, - a length of 350 mm or more but not more than 355 mm, - a width of 170 mm or more but not more than 180 mm, - a height of 180 mm or more but not more than 195 mm, - weighing 10 kg or more but not more than 15 kg, - a nominal charge of 60 Ah or more, but not more than 80 Ah 	S	Amendment	UNDER EXAMINATION	DE EU	Applicant Opposed	Round 2022-01 - review of the measure providing energy and power for vehicle electrical systems
ex 8507 60 00	18	4793865/2018	0919	<p>Lithium-ion polymer accumulator equipped with a battery management system and can-bus interface with:</p> <ul style="list-style-type: none"> - a length of not more than 1600 mm, - a width of not more than 448 mm, - a height of not more than 395 mm, - a nominal voltage of 280 V or more but not more than 400 V, - a nominal capacity of 9,7 Ah or more but not more than 10,35 Ah, - a charging voltage of 110 V or more but not more than 230 V, and - containing 6 modules with 90 cells or more but not more than 96 cells enclosed in a steel casing, <p>for use in the manufacture of vehicle capable of being charged by plugging to</p>	S	Amendment	UNDER EXAMINATION	SE EU	Applicant Opposed	Round 2022-01: review of the measure. for use in the manufacture of vehicle capable of being charged by plugging to external source of electric power of heading 8703

				external source of electric power of heading 8703 (1)						
ex 8507 60 00	22	1603530/2019	0920	Integrated battery system in a metal case with holders, consisting of: <ul style="list-style-type: none"> - a lithium-ion battery with voltage of 48 V (\pm 5 V) and capacity of 0,44 kWh (\pm 0,05 kWh), - Battery Management System, - a relay, - a low voltage converter (DC/DC), - at least one connector, for use in the manufacture of hybrid motor vehicles (1)	S	Amendment	UNDER EXAMINATION	SK EU	Applicant Opposed	Round 2022-01: review of the measure. for use in the manufacture of mild-hybrid motor vehicles
ex 8507 60 00	30	1572/14/1995 PROLONG 2015	0921	Cylindrical lithium-ion accumulator or module, with a length of 63 mm or more and a diameter of 17,2 mm or more, having a nominal capacity of 1 200 mAh or more, for use in the manufacture of rechargeable batteries (1)	S	Amendment	UNDER EXAMINATION	IE EU	Applicant Opposed	Round 2022-01: review of the measure. for use in the manufacture of rechargeable batteries
ex 8507 60 00	33	1232310/2015	0922	Lithium-ion accumulator, with: <ul style="list-style-type: none"> - a length of 150 mm or more, but not more than 1,000 mm, - a width of 100 mm or more, but not more than 1,000 mm, - a height of 200 mm or more, but not more than 1,500 mm, - a weight of 75 kg or more, but not more than 200 kg, - a nominal capacity not less than 150Ah and not more than 500 Ah, - a nominal output voltage of 230V AC (Line to neutral) or a nominal voltage of 64V (\pm10 %) 	S	Amendment	UNDER EXAMINATION	NL EU	Applicant Opposed	Round 2022-01: review of the measure. The product is a battery pack for use in a stationary energy storage application.
ex 8507 60 00	37	1232273/2015	0923	Lithium-ion accumulator, with:	S	Amendment	UNDER EXAMINATION	NL EU	Applicant Opposed	Round 2022-01: review of the measure.

				<ul style="list-style-type: none"> - a length of 1 200 mm or more, but not more than 2 000 mm, - a width of 800 mm or more, but not more than 1 300 mm, - a height of 2 000 mm or more, but not more than 2 800 mm, - a weight of 1 800 kg or more, but not more than 3 000 kg, - a nominal capacity of 2 800 Ah or more but not more than 7 200 Ah 						The product is a battery pack for use in a stationary energy storage application
ex 8507 60 00	48	4922932/2020	0924	<p>Integrated battery system in a metal case with holders, consisting of:</p> <ul style="list-style-type: none"> - a lithium-ion battery with a voltage of 36 V or more but not more than 50,4 V and a nominal energy of 0,6 kWh, - Battery Management System, - a power relay, - a cooling system, - four connectors, <p>for use in the manufacture of Mild-hybrid (mHEV) motor vehicles (1)</p>	S	Amendment	UNDER EXAMINATION	CZ EU	Applicant Opposed	<p>Round 2022-01- review of the measure.</p> <p>Integrated battery system in a metal case with holders</p>
ex 8507 60 00	50	323555/2012	0925	<p>Modules for the assembly of batteries of ion lithium electric accumulators with:</p> <ul style="list-style-type: none"> - a length of 298 mm or more, but not more than 500 mm, - a width of 33,5 mm or more, but not more than 209 mm, - a height of 75 mm or more, but not more than 228 mm, - a weight of 3,6 kg or more, but not more than 17 kg, and - a nominal energy of 458 Wh or more, but not more than 2 158 Wh 	S	Amendment	UNDER EXAMINATION	FR EU	Applicant Opposed	<p>Round 2021-01: review of the measure.</p> <p>Modules intended for the assembly of a rechargeable battery for the supply of power to electric motor vehicles</p>
ex 8507 60 00	58	4697852/2018	0926	<p>Prismatic lithium-ion electric accumulator with:</p> <ul style="list-style-type: none"> - a width of 120,0 mm or more but not more than 305,0 mm, 	S	Amendment	UNDER EXAMINATION	PL DE EU	Applicant Co-applicant Opposed	<p>Round 2022-01 - request for amendment.</p> <p>Sets cells are used for vehicles with electric</p>

				<ul style="list-style-type: none"> - a thickness of 12,0 mm or more but not more than 67,0 mm, - a height of 72,0 mm or more but not more than 126,0 mm, - a nominal voltage of 3,6 V or more but not more than 3,75 V, and - a nominal capacity of 6,9 Ah or more not more than 265 Ah, for use in the manufacture of rechargeable electric vehicle batteries (1)						motor as motors for propulsion, other than those capable of being charged by plugging to external source of electric power : scooters, cars and buses/coaches
ex 8507 60 00	65	968718/2011	0927	Cylindrical lithium ion cell with <ul style="list-style-type: none"> - 3,5 VDC to 3,8 VDC, - 300 mAh to 900 mAh, and - a diameter of 10,0 mm to 14,5 mm 	S	Amendment	UNDER EXAMINATION	NL EU	Applicant Opposed	Round 2022-01:review of the measure. to be built into electric shavers
ex 8507 60 00	68	5988869/2019	0928	Lithium-ion accumulator in a metal housing, with <ul style="list-style-type: none"> - a length of 65 mm or more, but not more than 225 mm, - a width of 10 mm or more, but not more than 75 mm, - a height of 60 mm or more, but not more than 285 mm, - a nominal voltage of 2,1 V or more, but not more than 3,8 V, and - a nominal capacity of 2,5 Ah or more, but not more than 325 Ah 	S	Amendment	UNDER EXAMINATION	DE EU	Applicant Opposed	Round 2022-01 - review of the measure.
ex 8507 60 00	75	984116/2011	0929	Rectangular lithium-ion-accumulator with: <ul style="list-style-type: none"> - a metal casing, - a length of 147,85 mm or more but not more than 173,15 mm, - a width of 17,4 mm or more but not more than 21,1 mm, - a height of 90,85 mm or more but not more than 95,15 mm, - a nominal voltage of 3,3 V or more but not more than 3,65 V, and 	S	Amendment	UNDER EXAMINATION	AT EU	Applicant Opposed	Round 2022-01 - Review of the measure. The accumulators are used for the production of rechargeable batteries

				- a nominal capacity of 17,5 Ah or more						
ex 8507 60 00	77	1095345/2012	0930	Lithium-ion rechargeable batteries, with: <ul style="list-style-type: none"> - a length of 700 mm or more, but not more than 2 820 mm, - a width of 935 mm or more, but not more than 1 660 mm, - a height of 85 mm or more, but not more than 700 mm, - a weight of 250 kg or more, but not more than 700 kg, - a power of not more than 175 kWh, - a nominal voltage of 400 V 	S	Amendment	UNDER EXAMINATION	NL EU	Applicant Opposed	Round 2022-01: review of the measure. The product is a rechargeable electric vehicle battery used for propulsion and operation of electric vehicles that may include; electric cars, trucks, and vans

(1) Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)