Reference mail	TARIC code before 2022	TARIC code in 2022	Product description	Status	Proficient user (UK susp)
1/1/1999	1511901920,	1511901920,	#Palm oil, coconut (copra) oil, palm kernel oil, for		
	1511909120,	1511909120,	the manufacture of:### # industrial		
	1513111020,	1513111020,	monocarboxylic fatty acids of subheading 3823		
	1513193020,	1513193020,	19 10, # methyl esters of fatty acids of heading		
	1513211020,	1513211020,	2915 or 2916, # fatty alcohols of subheadings		
	1513293020	1513293020	2905 17, 2905 19 and 3823 70 used for the		
			manufacture of cosmetics, washing products or		
			pharmaceutical products, # fatty alcohols of		
			subheading 2905 16, pure or mixed, used for the		
			manufacture of cosmetics, washing products or		
			pharmaceutical products, # stearic acid of		
			subheading 3823 11 00, # goods of heading		
			3401, or # fatty acids with high purity of heading	>15000/====	
2012210/2	1512101010	1512101010	2915 #	≥15000/green	
3812219/2 015	1512191010	1512191010	#Refined safflower oil (CAS RN 8001-23-8) for use in the manufacture of#### conjugated linoleic		
UT)			acid of heading 3823 or # ethyl- or methyl esters		
			of linoleic acid of heading 2916 #	<15000/red	
1113066/2	2007995083,	2007995083,	#Mango puree concentrate, obtained by		
012	2007995093,	2007995093,	cooking:### # of the Genus Mangifera spp . , #	UK	
012	2007999310	2007999310	with a sugar content by weight of not more than	suspdeletion	
	20073333010	20073333010	30 % # ###for use in the manufacture of	if no EU27	NL, PT, HU,
			products of food and drink industry#	producer	AT
1112993/2	2007995084,	2007995084,	#Papaya puree concentrate, obtained by		
012	2007995094	2007995094	cooking:### # of the Genus Carica spp. , # with	UK	
			a sugar content by weight of more than 13 % but	suspdeletion	
			not more than 30 % # ###for use in the	if no EU27	
			manufacture of products of food and drink	producer	
			industry#		NL
1112921/2	2007995085,	2007995085,	#Guava puree concentrate, obtained by		
012	2007995095	2007995095	cooking:### # of the Genus Psidium spp. , #	UK	
			with a sugar content by weight of more than 13	suspdeletion	
			% but not more than 30 % # ###for use in the	if no EU27	
			manufacture of products of food and drink	producer	
			industry#		NL
247869/20	2008939120	2008939120	#Sweetened dried cranberries, excluding packing		
09			alone as processing, for the manufacture of		
			products of food processing industries#	≥15000/green	
635208/20	2008994894	2008994894	#Mango puree:### # not from concentrate, # of		
10			the genus Mangifera, # of a Brix value of 14 or		
			more, but not more than 20, # ###used in the	×45000/	
242222 /22	2000004070	2000004070	manufacture of products of drink industry#	≥15000/green	
312338/20	2008994970,	2008994970,	#Blanched vine leaves of the genus Karakishmish		
12	2008999911	2008999911	, in brine, containing by weight:### # more than		
			6 % of salt concentration, # 0,1 % or more but		
02			not more than 1,4 % of acidity expressed as citric acid monohydrate and # whether or not but not		
1 2			more than 2 000 mg/kg of sodium benzoate	≥15000/green	
()				210000/8/001	
.3.2022 / 505					
2					
-	kanun dereğinde düve	nli elektronik imza ila imz	alanmıştır. ID:2090081412022228114630. Bu kod ile http://dogrulama.tim.	ora tr/ adresindon dočru	lavahilireiniz
 JUTU SayIII 	Ranun geregince guve	ann eierai offik iffizia ile imz	aariiniiştii. 10.203000 14 12022220 I 14030. Du Kou lie fillp.//dogrulama.tim.	org.u/ auresinden dogru	avaniii SitiiZ.

			according CODEX STAN 192-1995 # ###for use in		
			the manufacture of stuffed vine leaves with rice#		
1565336/2	2106909250	2106909250	#Casein protein hydrolysate consisting of:### #		
)17			by weight 20 % or more but not more than 70 %		
			free amino acids, and # peptones of which by		
			weight more than 90 % having a molecular		
			weight of not more than 2000 Da #	≥15000/green	
639141/2	2106909847	2106909847	#Preparation, having a moisture content of 1 %		
)17			or more but not more than 4 %, and containing		
			by weight:## 15 % or more but not more than 35		
			% of buttermilk, 20 % (±10 %) of lactose, 20 %		
			(±10 %) of whey protein concentrate, 15 % (±10		
			%) of cheddar cheese, 3% (±2%) of salt, 0,1%		
			or more but not more than 10 % of lactic acid		
			E270, 0,1 % or more but not more than 10 % of		
			gum arabic E414 #for use in the manufacture of		
			products of food and drink industry#	<15000/red	
509576/2	2712909910	2712909910	#Blend of 1-alkenes containing by weight 90 % or		
)17			more 1-alkenes of a chain length of 24 carbon		
			atoms or more but not more than 1 % 1-alkenes		
			of a chain length of more than 70 carbon atoms#	≥15000/green	
313390/20	2804701000	2804701000	#Red phosphorus#		
13,					
343255/20					
13,					
371450/20					
L3,					
383834/20					
L3,					
199762/20					
L3				≥15000/green	
323514/20	2805199020	2805199020	#Lithium metal (CAS RN 7439-93-2) of a purity by		
12	2003133020	2003133020	weight of 98,8 % or more#	≥15000/green	
3863286/2	2811220015	2811220015	#Amorphous silicon dioxide (CAS RN 60676-86-		
)15	2011220015	2011220013	0)### # in the form of powder # of a purity by		
,15			weight of 99,0 % or more # with a median grain		
			size of 0,7 μ m or more, but not more than 2,1		
			μ m # where 70 % of the particles have a		
			diameter of not more than 3 μ m #	<15000/red	
.500331/2	2811299010	2811299010	#Tellurium dioxide (CAS RN 7446-07-3)#	<13000/Teu	
)17	2011299010	2011299010	#Tellullulli dioxide (CAS KN 7446-07-5)#	>15000/groop	
	2816400010	2816400010	#Barium hydroxide (CAS RN 17194-00-2)#	≥15000/green	
05455/20	2816400010	2816400010	#Barium hydroxide (CAS RN 17194-00-2)#	>15000/20020	
2	2822000010	2822000010	HTitopium diquida (CAS DN 12462 67 7).444 4 of	≥15000/green	
294577/20	2823000010	2823000010	#Titanium dioxide (CAS RN 13463-67-7):### # of		
1,			a purity by weight of 99,9 % or more, # with an		
46/2/199			average grain-size of 0,7 μ m or more but not	>15000/	
	2025400040	2025400040	more than 2,1 μ m #	≥15000/green	
323355/20	2825100010	2825100010	#Hydroxylammonium chloride (CAS RN 5470-11-	>15000/	
.20			1)#	≥15000/green	
85068/20	2825600010	2825600010	#Zirconium dioxide (CAS RN 1314-23-4)#		
.2				≥15000/green	
02					
3.20227					
ς Υ					

631004/20 10	2833298030	2833298030	#Zirconium sulphate (CAS RN 14644-61-2)#	UK suspdeletion if no EU27 producer	ІТ
1167/07	2835100010	2835100010	#Sodium hypophosphite monohydrate (CAS RN		
			10039-56-2)#	≥15000/green	
L168/07	2839190010	2839190010	Disodium disilicate (CAS RN 13870-28-5)	<15000/red	
1134/07	2841800010	2841800010	#Diammonium wolframate (ammonium paratungstate) (CAS RN 11120-25-5) #	≥15000/green	
L563923/2)17	2841903010	2841903010	#Potassium metavanadate (CAS RN 13769-43-2)#	≥15000/green	
1509652/2)17	2842100050	2842100050	#Fluorphlogopite (CAS RN 12003-38-2)#	≥15000/green	
4509612/2 017	2842908030	2842908030	#Aluminum trititanium dodecachloride (CAS RN 12003-13-3)#	<15000/red	
1155/07	2850002030	2850002030	#Titanium nitride (CAS RN 25583-20-4) with a particle size of not more than 250 nm#	<15000/red	
1514483/2	2850002060	2850002060	#Disilane (CAS RN 1590-87-0)#	<15000/Teu	
)17				≥15000/green	
1090164/2 012	2903393100	2903510010	#2,3,3,3-Tetrafluoroprop-1-ene (2,3,3,3- tetrafluoropropene) (CAS RN 754-12-1)#	≥15000/green	
L525373/2	2903393940	2903590040	#1,1,2,3,4,4-Hexafluorobuta-1,3-diene (CAS RN	219000/8/001	
)17			685-63-2)#	≥15000/green	
L503351/2)17	2903391920	2903691920	#5-Bromopent-1-ene (CAS RN 1119-51-3)#	<15000/red	
.048229/2)12	2903898050	2903898050	#Chlorocyclopentane (CAS RN 930-28-9)#	≥15000/green	
1514559/2 17	2903898060	2903898060	#Octafluorocyclobutane (CAS RN 115-25-3)#	≥15000/green	
14899999/2)17	2903998060	2903998060	#1,1'-Methanediylbis(4-fluorobenzene) (CAS RN 457-68-1)#	<15000/red	
	2904200020	2904200020	#Nitroethane (CAS RN 79-24-3)#	≥15000/green	
323492/20 L2	2904990040	2904990040	#4-Chlorobenzenesulphonyl chloride (CAS RN 98- 60-2)#	≥15000/green	
287186/20 L2	2905190070	2905190070	#Titanium tetrabutanolate (CAS RN 5593-70-4)#	≥15000/green	
	2905190080	2905190080	#Titanium tetraisopropoxide (CAS RN 546-68-9)#	≥15000/green	
1503810/2 17	2905299010	2905299010	#Cis-hex-3-en-1-ol (CAS RN 928-96-1)#	≥15000/green	
254904/20 L1, 5501275/2	2905399520	2905399520	#Butane-1,2-diol (CAS RN 584-03-2)#		
016 L104520/2	2905399540	2905399540	#Decane-1,10-diol (CAS RN 112-47-0)#	<15000/red	
012 1111621/2 012	2906290030	2906290030	#2-Phenylethanol (CAS RN 60-12-8)#	≥15000/green UK suspdeletion	IT, NL, FR DE, ES
COC C C 5070 sayılı	kanun gereğince güv	enli elektronik imza ile ir	nzalanmıştır. ID:2090081412022228114630. Bu kod ile http://dogrulama.tim	.org.tr/ adresinden doğru	ılayabilirsiniz.

				if no EU27	
				producer	
3655112/2 015	2906290040	2906290040	#2-Bromo-5-iodo-benzenemethanol (CAS RN 946525-30-0)#	<15000/red	
4610103/2 017	2906290050	2906290050	#2,2'-(m-Phenylene)dipropan-2-ol (CAS RN 1999- 85-5)#	≥15000/green	
1338664/2	2909309080	2909309080	#Oxyfluorfen (ISO) (CAS RN 42874-03-3) with a	UK	
)16	2303303000	2303303000	purity by weight of 97 % or more#	suspdeletion if no EU27	
				producer	PT,ES
1564222/2	2912290035	2912290035	#Cinnamaldehyde (CAS RN 104-55-2)#	producer	11,23
)17	23122300000	2312230000		≥15000/green	
4509799/2 017	2912290045	2912290045	#p-Phenylbenzaldehyde (CAS RN 3218-36-8)#	<15000/red	
329394/20	2912490020	2912490020	#4-Hydroxybenzaldehyde (CAS RN 123-08-0)#	UK	
12	2312430020	2512450020		suspdeletion	
				if no EU27	
				producer	DE
1422644/2	2912490050	2912490050	#2,6-Dihydroxybenzaldehyde (CAS RN 387-46-2)#	producer	
)17	2312430030	2312430030		≥15000/green	
	2914199020	2914199020	#Heptan-2-one (CAS RN 110-43-0)#	≥15000/green	
-	2914199030	2914199030	#3-Methylbutanone (CAS RN 563-80-4)#	≥15000/green	
-	2914199040	2914199040	#Pentan-2-one (CAS RN 107-87-9)#	≥15000/green	
1008909/2	2914290050	2914199040	# trans -β-Damascone (CAS RN 23726-91-2)#	UK	
)11	2914290050	2914290050	# trans -p-Damascone (CAS KN 25726-91-2)#	suspdeletion	
)11				if no EU27	FR, ES and
				producer	bit in DE
4632248/2	2914290070	2914290070	#2-sec-Butylcyclohexanone (CAS RN 14765-30-	UK	
) 17	2314230070	2514250070	1)#	suspdeletion	
517			1)#	if no EU27	
				producer	FR
4503840/2	2914290080	2914290080	#1-(Cedr-8-en-9-yl)ethanone (CAS RN 32388-55-	UK	
)))) 17			9)#	susp. deletion	
-			-,	if no EU27	
				producer	DE, FR, ES
1013/2007	2914390030	2914390030	#Benzophenone (CAS RN 119-61-9)#	≥15000/green	
320238/20		2914390070	#Benzil (CAS RN 134-81-6)#		
12				<15000/red	
287195/20	2914390080	2914390080	#4'-Methylacetophenone (CAS RN 122-00-9)#		
. 12				≥15000/green	
1090972/2	2914500045	2914500045	#3,4-Dihydroxybenzophenone (CAS RN 10425-		
012			11-3)#	≥15000/green	
1015/2007	2914500060	2914500060	#2,2-Dimethoxy-2-phenylacetophenone (CAS RN		
			24650-42-8)#	≥15000/green	
3655587/2	2914500075	2914500075	#7-Hydroxy-3,4-dihydro-1(2H)-naphthalenone		
015			(CAS RN 22009-38-7)#	<15000/red	
1065611/2	2914790020	2914790020	#2,4'-Difluorobenzophenone (CAS RN 342-25-6)#		
012				≥15000/green	
4638366/2	2915390010	2915390010	#Cis-3-hexenyl acetate (CAS RN 3681-71-8)#	UK	DE, ES, NL,
01Ž				suspdeletion	FR
22					
Č					
O O					
3.2022					

287214/20 29171910 12 29182900 1053938/2 29182900 012 29183000 4419266/2 29183000 017 29183000 1111680/2 29183000 012 29183000 1111654/2 29189990 012 29189990 1489058/2 29189990 017 29189990 1488741/2 29189990 017 29202900 117 29202900 017 29209010	910 2915601910 020 2915907020 030 2915907030 070 2916120070	 #4- tert -Butylcyclohexyl acetate (CAS RN 32210-23-4)# #Ethyl butyrate (CAS RN 105-54-4)# #Methyl (R)-2-fluoropropionate (CAS RN 146805-74-5)# #3,3-Dimethylbutyryl chloride (CAS RN 7065-46-5)# 	producer UK suspdeletion if no EU27 producer UK suspdeletion if no EU27 producer ≥15000/green	DE, ES, NL FR FR, ES, NL
111 29156019 111 29156019 509828/2 29159070 509828/2 29159070 048248/2 29159070 012 29161200 012 29163090 016/2007 29163990 016/2007 29163990 016/2007 29163990 05543/20 29163990 2 29163990 05543/20 29183000 2 29183000 12 29183000 12 29183000 111680/2 29183000 112 2918990 111654/2 2918990 111 2918990 111 2918990 111 2918990 111 2918990 111 2918990 111 2918990 111 2918990 111 291890 111 291890 111 291890 111 291890 111 291890 111 291890 111	910 2915601910 020 2915907020 030 2915907030 070 2916120070	23-4)# #Ethyl butyrate (CAS RN 105-54-4)# #Methyl (R)-2-fluoropropionate (CAS RN 146805- 74-5)# #3,3-Dimethylbutyryl chloride (CAS RN 7065-46- 5)#	suspdeletion if no EU27 producer UK suspdeletion if no EU27 producer	FR
111709/2 29156019 12 29159070 509828/2 29159070 17 2 048248/2 29159070 12 2 090946/2 29161200 12 2 632366/2 29163990 17 2 016/2007 29163990 05543/20 29163990 2 2 053938/2 29183000 12 2 053938/2 29183000 12 2 111654/2 2918990 12 2 489058/2 2918990 17 2 4889058/2 2918990 17 2 488741/2 2918990 17 2 296542/2 29202900 17 2 296542/2 29209010	020 2915907020 030 2915907030 070 2916120070	#Ethyl butyrate (CAS RN 105-54-4)# #Methyl (R)-2-fluoropropionate (CAS RN 146805- 74-5)# #3,3-Dimethylbutyryl chloride (CAS RN 7065-46- 5)#	if no EU27 producer UK suspdeletion if no EU27 producer	FR
12 29159070 509828/2 29159070 17 29159070 048248/2 29159070 12 29161200 12 29162000 12 29163990 05543/20 29163990 2 29163990 05543/20 29183900 2 29183000 12 29183000 12 29183000 12 29183000 12 29183000 12 29183000 12 29183000 12 29183000 12 29183000 12 29183000 12 29189990 111654/2 29189990 17 296542/2 29202900 17 4889058/2 29189990 17 296542/2 29202900 17 042303/2 29209010	020 2915907020 030 2915907030 070 2916120070	#Methyl (R)-2-fluoropropionate (CAS RN 146805- 74-5)# #3,3-Dimethylbutyryl chloride (CAS RN 7065-46- 5)#	if no EU27 producer UK suspdeletion if no EU27 producer	FR
12 29159070 509828/2 29159070 17 29159070 048248/2 29159070 012 29161200 090946/2 29162000 12 29163990 016/2007 29163990 05543/20 29163990 2 29159070 105543/20 29163990 2 2913900 12 29183000 12 29183000 12 29183000 12 29183000 11 29183000 12 29183000 11 29183000 12 29183000 12 29189990 111654/2 29189990 17 296542/2 29202900 17 296542/2 29202900 17 29202900	020 2915907020 030 2915907030 070 2916120070	#Methyl (R)-2-fluoropropionate (CAS RN 146805- 74-5)# #3,3-Dimethylbutyryl chloride (CAS RN 7065-46- 5)#	producer UK suspdeletion if no EU27 producer	FR
12 29159070 1509828/2 29159070 017 29159070 048248/2 29159070 012 29161200 012 29161200 1032366/2 29163990 1016/2007 29163990 205543/20 29163990 205543/20 29163990 205543/20 29183000 12 29183000 12 29183000 12 29183000 111680/2 29183000 111654/2 29189990 111654/2 29189990 111654/2 29189990 111654/2 29189990 111654/2 29189990 111654/2 29189990 17 296542/2 29202900 17	020 2915907020 030 2915907030 070 2916120070	#Methyl (R)-2-fluoropropionate (CAS RN 146805- 74-5)# #3,3-Dimethylbutyryl chloride (CAS RN 7065-46- 5)#	UK suspdeletion if no EU27 producer	
D12 4509828/2 29159070 D17 29159070 1048248/2 29159070 1090946/2 29161200 1016/2007 29163990 1016/2007 29163990 1016/2007 29163990 1016/2007 29163990 1016/2007 29163990 1016/2007 29163990 1016/2007 29163990 1016/2007 29163990 1012 29171910 1053938/2 29182900 111 29183000 111 29183000 111 29183000 111 29183000 111 29183000 111 29183000 111 29183000 111 2918990 111 2918990 111 2918990 111 2918990 111 2918990 111 2918990 111 2918990 111 2918990 111 2918990 111 2918990	020 2915907020 030 2915907030 070 2916120070	#Methyl (R)-2-fluoropropionate (CAS RN 146805- 74-5)# #3,3-Dimethylbutyryl chloride (CAS RN 7065-46- 5)#	suspdeletion if no EU27 producer	FR, ES, NL
4509828/2 29159070 1048248/2 29159070 1090946/2 29161200 1090946/2 29162000 1016/2007 29163990 1016/2007 29163990 1016/2007 29163990 1016/2007 29163990 1016/2007 29163990 1016/2007 29163990 1016/2007 29163990 1016/2007 29163990 12 29171910 1053938/2 29182900 12 29183000 12 29183000 111680/2 29183000 1111654/2 29189990 1111654/2 29189990 111 29189900 111 29189900 111 29189900 111 29189900 111 29189900 111 29189900 111 29189900 111 29189900 111 29189900 111 29189900 111 29189900 111 29189900 1	030 2915907030 070 2916120070	74-5)# #3,3-Dimethylbutyryl chloride (CAS RN 7065-46- 5)#	if no EU27 producer	FR, ES, NL
D17 1048248/2 29159070 1090946/2 29161200 1090946/2 29162000 012 29163990 4632366/2 29163990 1016/2007 29163990 305474/20 29163990 12 29163990 305543/20 29183900 12 29171910 1053938/2 29182900 012 29183000 12 29183000 012 29183000 012 29183000 111680/2 29183000 012 29183000 012 29183000 012 29183000 012 29183000 014 29189990 017 29189990 111654/2 29189990 017 29189990 12 29189990 12 29189990 111 29189900 017 29189990 112 29189990 113 29189900 114 29189900 11	030 2915907030 070 2916120070	74-5)# #3,3-Dimethylbutyryl chloride (CAS RN 7065-46- 5)#	producer	FR, ES, NL
D17 1048248/2 29159070 1090946/2 29161200 1090946/2 29162000 012 29163990 4632366/2 29163990 1016/2007 29163990 305474/20 29163990 12 29163990 305543/20 29183900 12 29171910 1053938/2 29182900 012 29183000 12 29183000 012 29183000 012 29183000 111680/2 29183000 012 29183000 012 29183000 012 29183000 012 29183000 014 29189990 017 29189990 111654/2 29189990 017 29189990 12 29189990 12 29189990 111 29189900 017 29189990 112 29189990 113 29189900 114 29189900 11	030 2915907030 070 2916120070	74-5)# #3,3-Dimethylbutyryl chloride (CAS RN 7065-46- 5)#		FR, ES, NL
D17 1048248/2 29159070 1090946/2 29161200 1090946/2 29162000 012 29163990 4632366/2 29163990 1016/2007 29163990 305474/20 29163990 12 29163990 305543/20 29183900 12 29171910 1053938/2 29182900 012 29183000 12 29183000 012 29183000 012 29183000 111680/2 29183000 012 29183000 012 29183000 012 29183000 012 29183000 014 29189990 017 29189990 111654/2 29189990 017 29189990 12 29189990 12 29189990 111 29189900 017 29189990 112 29189990 113 29189900 114 29189900 11	030 2915907030 070 2916120070	74-5)# #3,3-Dimethylbutyryl chloride (CAS RN 7065-46- 5)#	≥15000/green	
1048248/2 29159070 012 29161200 1090946/2 29161200 4632366/2 29162000 017 29163990 1016/2007 29163990 305474/20 29163990 12 29171910 305543/20 29182900 12 29183000 12 29183000 012 29183000 1111680/2 29183000 012 29183000 1111654/2 29189900 012 29189900 1111654/2 29189900 017 29189900 112 29189900 012 29189900 013 29189900 1111654/2 29189900 017 29189900 112 29189900 017 29189900 11489058/2 29189900 017 29202900 017 29202900 017 29202900	070 2916120070	#3,3-Dimethylbutyryl chloride (CAS RN 7065-46- 5)#	≥15000/green	
D12 1090946/2 29161200 1016/2007 29163990 1016/2007 29163990 305474/20 29163990 12 29163990 305543/20 29163990 12 29171910 1053938/2 29182900 12 29183000 12 29183000 12 29183000 1111680/2 29183000 012 29183000 1111654/2 29189990 1111654/2 29189990 1111654/2 29189990 017 29189990 1489058/2 29189990 017 29202900 112 29189990 11489058/2 29189990 017 29202900 117 29189990 1042303/2 29209010	070 2916120070	5)#		
1090946/2 29161200 012 29162000 4632366/2 29163090 1016/2007 29163990 305474/20 29163990 12 29163990 305543/20 29163990 12 29171910 10153938/2 29182900 012 29183000 012 29183000 111680/2 29183000 012 29183000 1111654/2 29189990 017 29189990 1111654/2 29189990 017 29189990 112 29189990 017 29189990 017 29189990 017 29189990 017 29189990 017 29189990 017 29189990 017 29202900 017 29202900 017 29202900				
012 4632366/2 29162000 017 29163990 1016/2007 29163990 305474/20 29163990 12 2 305543/20 29163990 12 2 305543/20 29163990 12 2 305543/20 29183900 12 2 1053938/2 29182900 012 2 4419266/2 29183000 017 2 1111680/2 29183000 012 2 1111654/2 29189900 017 2 1489058/2 29189990 017 2 1296542/2 29202900 017 2 1042303/2 29209010			≥15000/green	
4632366/2 29162000 017 29163990 1016/2007 29163990 305474/20 29163990 12 29163990 305543/20 29163990 12 29171910 12 29183000 012 29183000 012 29183000 012 29183000 012 29183000 012 29183000 012 29189990 012 29189990 1111654/2 29189990 017 29189990 1489058/2 29189990 017 29202900 017 29202900 017 29202900	120 2916200020	#2-(2-Vinyloxyethoxy)ethyl acrylate (CAS RN	<15000/red	
017 29163990 1016/2007 29163990 305474/20 29163990 305543/20 29163990 12 287214/20 287214/20 29171910 1053938/2 29182900 012 29183000 012 29183000 111 29183000 012 29183000 1111654/2 29189990 012 29189990 1111654/2 29189990 017 29189990 112 29189990 017 29189990 11489058/2 29189990 017 29189990 14889058/2 29189990 017 29189990 112 29189990 017 29189990 017 29202900 017 29202900	720 2916200020	86273-46-3)#		
017 29163990 1016/2007 29163990 305474/20 29163990 12 20103990 305543/20 29163990 12 20171910 287214/20 29171910 1053938/2 29182900 012 29183000 012 29183000 111680/2 29183000 012 29183000 1111654/2 29189990 012 29189990 1489058/2 29189990 017 29189990 1488058/2 29189990 017 29189990 14880542/2 29189990 017 29189990 112 29189990 017 29189990 1042303/2 29209010		#Mixture of the (1S,2R,6R,7R)-and(1R,2R,6R,7S)-		
1016/2007 29163990 305474/20 29163990 12 29163990 305543/20 29163990 12 29171910 12 29171910 12 29182900 012 29183000 012 29183000 012 29183000 111680/2 29183000 012 29183000 1111654/2 29189990 012 29189990 1489058/2 29189990 017 29189990 1489058/2 29189990 017 29189990 12 29189990 017 29189990 1489058/2 29189990 017 29189990 1042303/2 29209010		isomers of ethyl tricyclo[5.2.1.0(2,6)]decane-2-		
305474/20 29163990 12 29163990 305543/20 29163990 12 287214/20 287214/20 29171910 12 29182900 012 29183000 012 29183000 017 29183000 011 29183000 012 29183000 011 29183000 012 29183000 012 29183000 012 29183000 012 29183000 012 29189990 013 29189990 1489058/2 29189990 017 29189990 12 29189990 017 29189990 112 29189900 017 29202900 017 29202900 017 29209010		carboxylate (CAS RNs 80657-64-3 and 80623-07-		
305474/20 29163990 12 29163990 305543/20 29163990 12 287214/20 29171910 1053938/2 29182900 012 29183000 012 29183000 017 29183000 1111680/2 29183000 012 29183000 1111654/2 29189990 012 29189990 1489058/2 29189990 017 29189990 1489058/2 29189990 017 29189990 017 29189990 017 29189990 017 29189990 017 29189990 017 29189990 017 29202900 017 29202900 017 29209010		0)#	<15000/red	
305474/20 29163990 12 29163990 305543/20 29163990 12 287214/20 287214/20 29171910 12 29182900 012 29183000 012 29183000 017 29183000 011 29183000 012 29183000 011 29183000 012 29183000 012 29183000 012 29183000 012 29183000 012 29189990 013 29189990 1489058/2 29189990 017 29189990 12 29189990 017 29189990 112 29189900 017 29202900 017 29202900 017 29209010			-	
12 305543/20 29163990 12 287214/20 287214/20 29171910 1053938/2 29182900 012 29183000 017 29183000 1111680/2 29183000 012 29183000 1111654/2 29189990 012 29189990 1489058/2 29189990 017 29189990 12 29189990 017 29189990 1489058/2 29189990 017 29189990 1042303/2 29209010		#4- tert -Butylbenzoic acid (CAS RN 98-73-7)#	≥15000/green	
305543/20 29163990 12 287214/20 29171910 1053938/2 29182900 012 29183000 4419266/2 29183000 017 29183000 1111680/2 29183000 012 29183000 1111654/2 29189990 012 29189990 1489058/2 29189990 017 29189990 1488058/2 29189990 017 29189990 1489058/2 29189990 017 29189990 017 29189990 017 29202900 017 29202900 017 29202900	075 2916399075	# m -Toluic acid (CAS RN 99-04-7)#		
12 287214/20 29171910 1053938/2 29182900 012 29183000 4419266/2 29183000 017 29183000 1111680/2 29183000 012 29183000 1111654/2 29189990 012 29189990 1489058/2 29189990 017 29189990 14890542/2 29189990 017 29189990 12 29189900 017 29189990 14890542/2 29202900 017 29202900 1042303/2 29209010			≥15000/green	
12 1053938/2 29182900 012 29183000 4419266/2 29183000 017 29183000 1111680/2 29183000 012 29183000 1111654/2 29189990 012 29189990 1489058/2 29189990 017 29189990 12 29189990 017 29189990 017 29189990 017 29189990 017 29189990 017 29189990 017 29189990 017 29189990 017 29202900 017 29202900	085 2916399085	#(2,4,5-Trifluorophenyl)acetic acid (CAS RN		
12 1053938/2 29182900 012 29183000 4419266/2 29183000 017 29183000 1111680/2 29183000 012 29183000 1111654/2 29189990 012 29189990 1489058/2 29189990 017 29189990 12 29189990 017 29189990 1489058/2 29189990 017 29189990 017 29189990 017 29189990 017 29189990 017 29202900 017 29202900 017 29209010		209995-38-0)#### #### #	≥15000/green	
12 1053938/2 29182900 012 29183000 4419266/2 29183000 017 29183000 1111680/2 29183000 012 29183000 1111654/2 29189990 012 29189990 1489058/2 29189990 017 29189990 12 29189990 017 29189990 1489058/2 29189990 017 29189990 017 29189990 017 29189990 017 29189990 017 29202900 017 29202900 017 29209010	020 2917191020	#Diethyl malonate (CAS RN 105-53-3)#		
1053938/2 29182900 012 29183000 4419266/2 29183000 017 29183000 1111680/2 29183000 012 29183000 1111654/2 29189990 012 29189990 1489058/2 29189990 017 29189990 1489058/2 29189990 017 29189990 117 29189990 017 29189990 017 29189990 017 29189990 017 29189990 017 29202900 017 29202900 017 29209010			≥15000/green	
012 4419266/2 29183000 017 29183000 1111680/2 29183000 012 29183000 1111654/2 29189990 012 29189990 1489058/2 29189990 017 29189990 12 29189990 017 29189990 017 29189990 017 29189990 017 29189990 017 29202900 017 29202900 017 29209010	035 2918290035	#Propyl 3,4,5-trihydroxybenzoate (CAS RN 121-		
4419266/2 29183000 017 29183000 1111680/2 29183000 012 29183000 1111654/2 29189990 012 29189990 1489058/2 29189990 017 29189990 1488741/2 29189990 017 29202900 017 29202900 017 29209010		79-9)#	≥15000/green	
017 1111680/2 29183000 012 29183000 1111654/2 29189990 012 29189990 1489058/2 29189990 017 29189990 1488741/2 29189990 017 29189990 017 29189990 017 29189900 017 29189990 017 29202900 017 29202900 017 29209010	015 2918300015	#2-Fluoro-5-formylbenzoic acid (CAS RN 550363-	213000/green	
1111680/2 29183000 012 29183000 1111654/2 29189990 012 29189990 1489058/2 29189990 017 29189990 1489058/2 29189990 017 29189990 017 29189900 017 29189900 017 29189900 017 29202900 017 29202900 017 29209010	212 2910200012		11 5000 /mail	
012 1111654/2 29189990 012 1489058/2 29189990 017 4488741/2 29189990 017 1296542/2 29189990 017 1296542/2 29202900 017 1042303/2 29209010		85-4)#	<15000/red	
1111654/2 29189990 012 29189990 1489058/2 29189990 017 29189990 4488741/2 29189990 017 29189990 017 29189990 017 291899900 017 29189990 017 29202900 017 29202900 017 29209010	050 2918300050	#Ethyl acetoacetate (CAS RN 141-97-9)#	UK	
012 1489058/2 29189990 017 4488741/2 29189990 017 1296542/2 29202900 017 1042303/2 29209010			suspdeletion	
012 1489058/2 29189990 017 4488741/2 29189990 017 1296542/2 29202900 017 1042303/2 29209010			if no EU27	
012 1489058/2 29189990 017 4488741/2 29189990 017 1296542/2 29202900 017 1042303/2 29209010			producer	NL, DE, ES
1489058/2 29189990 017 4488741/2 29189990 017 1296542/2 29202900 017 017 1042303/2 29209010	015 2918999015	#Ethyl 2,3-epoxy-3-phenylbutyrate (CAS RN 77-	UK	
017 4488741/2 29189990 017 1296542/2 29202900 017 1042303/2 29209010		83-8)#	suspdeletion	
017 4488741/2 29189990 017 1296542/2 29202900 017 1042303/2 29209010			if no EU27	
017 4488741/2 29189990 017 1296542/2 29202900 017 1042303/2 29209010			producer	NL, DE, ES
017 4488741/2 29189990 017 1296542/2 29202900 017 1042303/2 29209010	027 2918999027	#Ethyl 3-ethoxypropionate (CAS RN 763-69-9)#		. ,
4488741/2 29189990 017 1296542/2 29202900 017 1042303/2 29209010			≥15000/green	
017 1296542/2 29202900 017 1042303/2 29209010	038 2918999038	#Diclofop-methyl (ISO) (CAS RN 51338-27-3)#		
1296542/2 29202900 017 1042303/2 29209010	530 2510555030	#Diciolop-methyl (150) (CA5 kill 51558-27-5)#	>15000/areas	
017	045 2020200045		≥15000/green	
1042303/2 29209010	015 2920290015	#Phosphorous acid 3,3',5,5'-tetrakis(1,1-		
		dimethylethyl)-6,6'-dimethyl[1,1'-biphenyl]-2,2'-		
		diyl tetra-1-naphthalenyl ester (CAS RN 198979-	_	
		98-5)#	<15000/red	
049	060 2920901060	#2,4-Di- tert -butyl-5-nitrophenyl methyl		
		carbonate (CAS RN 873055-55-1)#	<15000/red	
328077/20 29211300		#2-(N,N -Diethylamino)ethyl chloride	1	
		hydrochloride (CAS RN 869-24-9)#	<15000/red	
Q		,		<u>I</u>
20				
1250 5 8 8				
			1.org.tr/ adresinden doğru	Javabilirsiniz
ooro sayni kanun geregin	000 2921130000	imzalanmıştır. ID:2090081412022228114630. Bu kod ile http://dogrulama.tim		ayabili sitiiz.

328244/20 12	2921199970	2921199970	# N,N -Dimethyloctylamine – boron trichloride (1:1) (CAS RN 34762-90-8)#	<15000/red	
	2921309940	2921309940	#Cyclopropylamine (CAS RN 765-30-0)#	<15000/Teu	
012	2921309940	2921309940		≥15000/green	
318053/20	2921420086	2921420086	#2,5-Dichloroaniline (CAS RN 95-82-9)#		
12				≥15000/green	
287298/20	2921420087	2921420087	# N -Methylaniline (CAS RN 100-61-8)#		
12				≥15000/green	
318166/20	2921420088	2921420088	#3,4-Dichloroaniline-6-sulphonic acid (CAS RN		
12			6331-96-0)#	≥15000/green	
1564151/2	2921450060	2921450060	#1-Naphthylamine (CAS RN 134-32-7)#		
017				≥15000/green	
1564197/2	2921450070	2921450070	#8-Aminonaphthalene-2-sulphonic acid (CAS RN		
017			119-28-8)#	<15000/red	
	2921599030	2921599030	#3,3'-Dichlorobenzidine dihydrochloride (CAS RN		
			612-83-9)#	≥15000/green	
L65772/20	2921599060	2921599060	#(2R,5R)-1,6-Diphenylhexane-2,5-diamine		
.2			dihydrochloride (CAS RN 1247119-31-8)#	<15000/red	
L042333/2	2922190020	2922190020	#2-(2-Methoxyphenoxy)ethylamine		
)12			hydrochloride (CAS RN 64464-07-9)#	≥15000/green	
4609918/2	2922390015	2922390015	#2-Amino-3,5-dibromobenzaldehyde (CAS RN		
)17			50910-55-9)#	<15000/red	
318249/20	2922498520	2922498520	#3-Amino-4-chlorobenzoic acid (CAS RN 2840-28-		
2			0)#	≥15000/green	
3962007/2	2922498530	2922498530	#Aqueous solution containing 40 % by weight or	UK	
)15			more of sodium methylaminoacetate (CAS RN	suspdeletion	
			4316-73-8)#	if no EU27	
				producer	DE,FR
1017/2007	2922498560	2922498560	#Ethyl-4-dimethylaminobenzoate (CAS RN		
			10287-53-3)#	≥15000/green	
1445698/2	2922498575	2922498575	#L-alanine isopropyl ester hydrochloride (CAS RN		
017			62062-65-1)#### #### #	<15000/red	
L489079/2	2922500015	2922500015	#3,5-Diiodothyronine (CAS RN 1041-01-6)#		
)17				≥15000/green	
L489107/2	2924190025	2924190025	#Isobutylidenediurea (CAS RN 6104-30-9)#	<15000/red	
)17					
287332/20	2924190080	2924190080	#Tetrabutylurea (CAS RN 4559-86-8)#		
2				≥15000/green	
318373/20	2924297053	2924297053	#4-Amino- N -[4-		
12			(aminocarbonyl)phenyl]benzamide (CAS RN		
			74441-06-8)#	≥15000/green	
1008923/2	2924297063	2924297063	# N -Ethyl-2-(isopropyl)-5-	UK	
)11			methylcyclohexanecarboxamide (CAS RN 39711-	suspdeletion	
			79-0) #	if no EU27	
				producer	DE, IT, ES
.022/2007	2924297086	2924297086	#Anthranilamide (CAS RN 88-68-6) of a purity by	UK	
			weight of 99,5 % or more#	suspdeletion	
				if no EU27	
L J	1			producer	NL
05					
305509/20 127 0	2925199520	2925199520	#4,5,6,7-Tetrahydroisoindole-1,3-dione (CAS RN 4720-86-9)#		

320086/20 12	2925199530	2925199530	# N,N' -(m -Phenylene)dimaleimide (CAS RN 3006-93-7)#	≥15000/green	
4632435/2 017	2926907015	2926907015	#2-Cyclohexylidene-2-phenylacetonitrile (CAS RN 10461-98-0)#	UK suspdeletion if no EU27 producer	FR
4509883/2 017	2926907018	2926907018	#Flumethrin (ISO) (CAS RN 69770-45-2)#	≥15000/green	
4509853/2 017	2926907033	2926907033	#Deltamethrin (ISO) (CAS RN 52918-63-5)#	≥15000/green	
4613845/2 017	2927000025	2927000025	#2,2'-Azobis(4-methoxy-2,4- dimethylvaleronitrile) (CAS RN 15545-97-8)#	≥15000/green	
318303/20 12	2927000080	2927000080	#4-[(2,5-Dichlorophenyl)azo]-3-hydroxy-2- naphthoic acid (CAS RN 51867-77-7)#	<15000/red	
1096774/2 012	2929100020	2929100020	#Butyl isocyanate (CAS RN 111-36-4)#	UK suspdeletion if no EU27 producer	
578966/20 10	2929100055	2929100055	#2,5 (and 2,6)- Bis(isocyanatomethyl)bicyclo[2.2.1]heptane (CAS RN 74091-64-8)#	<15000/red	HU
3428/06	2929100080	2929100080	#1,3-Bis(isocyanatomethyl)benzene (CAS RN 3634-83-1)#	<15000/red	
303483/20 11	2930200020	2930200020	#2-Isopropylethylthiocarbamate (CAS RN 141-98- 0)#	UK suspdeletion if no EU27 producer	DE,DK
1082/2007	2930200010	2930200040	#Prosulfocarb (ISO) (CAS RN 52888-80-9) with purity by weight of 97 % or more#	≥15000/green	
579140/20 10	2930909810	2930909810	#2,3-Bis((2-mercaptoethyl)thio)-1-propanethiol (CAS RN 131538-00-6)#	<15000/red	
1008893/2 011	2930909813	2930909813	#Mercaptamine hydrochloride (CAS RN 156-57- 0)#	UK suspdeletion if no EU27	
579001/20 10	2930909865	2930909865	#Pentaerythritol tetrakis(3-mercaptopropionate) (CAS RN 7575-23-7)#	<pre>producer <15000/red</pre>	DE, IT, ES
1079/2007 320028/20	2930909868 2931399008	2930909868	#Clethodim (ISO) (CAS RN 99129-21-2)# #Sodium diisobutyldithiophosphinate (CAS RN	≥15000/green	
12		2931499008	13360-78-6) in an aqueous solution#	≥15000/green	
1042358/2 012	2931399025	2931499025	#(Z)-Prop-1-en-1-ylphosphonic acid (CAS RN 25383-06-6)#	≥15000/green	
4422677/2 017	2931900010	2931900010	#(3-Fluoro-5-isobutoxyphenyl)boronic acid (CAS RN 850589-57-0)#	<15000/red	
1562984/2 017	2931900020	2931900020	#Ferrocene (CAS RN 102-54-5)#	<15000/red	
3939533/2 015 0000000000000000000000000000000000	2931900063	2931900063	#Chloroethenyldimethylsilane (CAS RN 1719-58- 0)#	UK suspdeletion if no EU27	
/ 5(producer	DE

3962068/2 015	2931900065	2931900065	#Bis(4-tert-butylphenyl)iodonium hexafluorophosphate (CAS RN 61358-25-6)#	UK suspdeletion	
				if no EU27 producer	BE
305526/20 12	2932209040	2932209040	#(S)-(–)-α-Amino-γ-butyrolactone hydrobromide (CAS RN 15295-77-9)#	≥15000/green	
1565410/2 017	2932209050	2932209050	#L-Lactide (CAS RN 4511-42-6) or D-Lactide (CAS RN 13076-17-0) or dilactide (CAS RN 95-96-5)#	≥15000/green	
4636962/2 017	2932990023	2932990023	#2-Ethyl-3-hydroxy-4-pyrone (CAS RN 4940-11- 8)#	≥15000/green	
1042379/2 012	2932990025	2932990025	#1-(2,2-Difluorobenzo[d][1,3]dioxol-5- yl)cyclopropanecarboxylic acid (CAS RN 862574- 88-7)#	≥15000/green	
806/06	2932990075	2932990075	#3-(3,4-Methylenedioxyphenyl)-2- methylpropanal (CAS RN 1205-17-0)#	UK suspdeletion if no EU27 producer	BE, DE, FR ES
1095031/2 012	2933299080	2933299080	#Imazalil (ISO) (CAS RN 35554-44-0)#	≥15000/green	
287365/20 12	2933399912	2933399912	#2,3-Dichloropyridine (CAS RN 2402-77-9)#	≥15000/green	
3815462/2 015	2933399914	2933399914	#N,4-Dimethyl-1-(phenylmethyl)- 3- piperidinamine hydrochloride (1:2) (CAS RN 1228879-37-5)#	<15000/red	
239432/20 09	2933399920	2933399920	#Copper pyrithione powder (CAS RN 14915-37- 8)#	UK suspdeletion if no EU27 producer	BE
3815528/2 015	2933399926	2933399926	#2-[4-(Hydrazinylmethyl)phenyl]-pyridine dihydrochloride (CAS RN 1802485-62-6)#	<15000/red	
1500584/2 017	2933399936	2933399936	#1-[2-[5-Methyl-3-(trifluoromethyl)-1H-pyrazol- 1-yl]acetyl]piperidine-4-carbothioamide (CAS RN 1003319-95-6)#	≥15000/green	
4422468/2 017	2933399938	2933399938	#(2-Chloropyridin-3-yl) methanol (CAS RN 42330- 59-6)#	≥15000/green	
4422608/2 017	2933399939	2933399939	#2,6-Dichloropyridine-3-carboxamide (CAS RN 62068-78-4)#	<15000/red	
4490035/2 017	2933399951	2933399951	#2,5-Dichloro-4,6-dimethylnicotinonitrile (CAS RN 91591-63-8)#	UK suspdeletion if no EU27 producer	AT, ES
1042477/2 012	2933399957	2933399957	# Tert -butyl 3-(6-amino-3-methylpyridin-2- yl)benzoate (CAS RN 1083057-14-0)#	≥15000/green	
1042499/2 012	2933491030	2933491030	#Ethyl 4-oxo-1,4-dihydroquinoline-3-carboxylate (CAS RN 52980-28-6)#	<15000/red	
4609879/2 017	2933599522	2933599522	#6-chloro-1,3-dimethyluracil (CAS RN 6972-27- 6)#	<15000/red	
4419296/2 0		2933599524	#1-(Cyclopropylcarbonyl)piperazine hydrochloride (CAS RN 1021298-67-8)#	<15000/red	
4546001/2	2933599526	2933599526	#5-Fluoro-4-hydrazino-2-methoxypyrimidine	<15000/red	

12			tetrahydro[1,2,4]triazolo[4,3-a]pyrazine		
			hydrochloride (1:1) (CAS RN 762240-92-6)#	≥15000/green	
4419345/2	2933790025	2933790025	#Methyl 2-oxo-2,3-dihydro-1H-indole-6-	(15000 /red	
017	2933790030	2933790030	carboxylate (CAS RN 14192-26-8)#	<15000/red	
1077/2007			5-Vinyl-2-pyrrolidone (CAS RN 7529-16-0)	≥15000/green	
318320/20 12		2933998024	#1,3-Dihydro-5,6-diamino-2 H -benzimidazol-2- one (CAS RN 55621-49-3)#	≥15000/green	
1497747/2 017	2933998041	2933998041	#5-[4'-(Bromomethyl)biphenyl-2-yl]-1-trityl-1H- tetrazole (CAS RN 124750-51-2)#### #	≥15000/green	
1497677/2 017	2933998046	2933998046	#(S)-Indoline-2-carboxylic acid (CAS RN 79815- 20-6)#	≥15000/green	
1091283/2	2933998047	2933998047	#Paclobutrazol (ISO) (CAS RN 76738-62-0)#	Breen	
012				≥15000/green	
4513002/2 017	2933998048	2933998048	#5-Amino-6-methyl-2-benzimidazolone (CAS RN 67014-36-2)#	≥15000/green	
165822/20 12	2934100015	2934100015	#4-Nitrophenyl thiazol-5-ylmethyl carbonate (CAS RN 144163-97-3)#	<15000/red	
165800/20	2934100025	2934100025	#(S)-Ethyl-2-(3-((2-isopropylthiazol-4-yl)methyl)-		
12			3-methylureido)-4-morpholinobutanoate oxalate	(TOP 00 ()	
205 424 /20	2024400025	2024400025	(CAS RN 1247119-36-3)#	<15000/red	
305421/20 12	2934100035	2934100035	#(2-Isopropylthiazol-4-yl)- N -		
12			methylmethanamine dihydrochloride (CAS RN 1185167-55-8)#	≥15000/green	
1565183/2	2934208015	2934208015	#Benthiavalicarb-isopropyl (ISO) (CAS RN		
017			177406-68-7)#	≥15000/green	
1184/07	2934208025	2934208025	#1,2-Benzisothiazol-3(2H)-one (CAS RN 2634-33-	UK	
			5) in the form of a powder with a purity by	suspdeletion	
			weight of 95 % or more, or in an aqueous	if no EU27	
			mixture containing by weight 20 % or more of	producer	
44470/20	2024202000	2024202000	1,2-benzisothiazol-3(2H)-one#	F	DE, ES, NL
114170/20	2934208060	2934208060	#Benzothiazol-2-yl-(Z)-2-trityloxyimino-2-(2-		
10			aminothiazole-4-yl)-thioacetate (CAS RN 143183- 03-3)#	<15000/red	
305398/20	2934309010	2934309010	#2-Methylthiophenothiazine (CAS RN 7643-08-	<15000/Teu	
12	2334303010	2334303010	5)#	≥15000/green	
1091089/2	2934999037	2934999037	#4-Propan-2-ylmorpholine (CAS RN 1004-14-4)#		
012				≥15000/green	
1489124/2	2934999052	2934999052	#Epoxiconazole (ISO) (CAS RN 133855-98-8)#		
017				≥15000/green	
1565216/2	2934999054	2934999054	#2-Benzyl-2-dimethylamino-4'-		
017			morpholinobutyrophenone (CAS RN 119313-12- 1)#	<15000/red	
1500627/2	2934999056	2934999056	#1-[5-(2,6-Difluorophenyl)-4,5-dihydro-1,2-	<15000/160	
017			oxazol-3-yl]ethanone (CAS RN 1173693-36-1)#	≥15000/green	
1309539/2	2934999057	2934999057	#(6R,7R)-7-Amino-8-oxo-3-(1-propenyl)-5-thia-1 -	70.23	
017			azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid (CAS		
			RN 120709-09-3)#### #	<15000/red	
	2934999059	2934999059	#Dolutegravir (INN) (CAS RN 1051375-16-6) or		
4692977/2					
4692977/2 017 1020/2007	2934999074	2934999074	dolutegravir sodium (CAS RN 1051375-19-9)# #2-Isopropylthioxanthone (CAS RN 5495-84-1)#	≥15000/green ≥15000/green	

4692923/2)17	2935909040	2935909040	#Venetoclax (INN) (CAS 1257044-40-8)#	≥15000/green	
305429/20 12	2935909073	2935909073	#(2S)-2-Benzyl- N,N -dimethylaziridine-1- sulfonamide (CAS RN 902146-43-4)#	<15000/red	
1522664/2	2938909030	2938909030	#Rebaudioside A (CAS RN 58543-16-1)#		
)17				≥15000/green	
1522623/2	2938909040	2938909040	#Purified steviol glycoside with a rebaudioside M		
017			(CAS RN 1220616-44-3) content of 80 % or more		
			but not more than 90 % by weight for use in the	_	
			manufacture of non-alcoholic beverages#	<15000/red	
1001767/2		3201909040,	#Reaction product of Acacia mearnsii extract,	UK	
015	3202900010	3202900010	ammonium chloride and formaldehyde (CAS RN	suspdeletion	
			85029-52-3)#	if no EU27	
				producer	IT
1515181/2	3204110035	3204110035	#Colourant C.I Disperse Yellow 232 (CAS RN		
017			35773-43-4) and preparations based thereon		
			with a colourant C.I Disperse Yellow 232 of 50 %		
			or more by weight#	<15000/red	
247748/20	3204110040	3204110040	#Colourant C.I. Disperse Red 60 (CAS RN 17418-	UK	
11			58-5) and preparations based thereon with a	suspdeletion	
			colourant C.I. Disperse Red 60 content of 50 % or	if no EU27	
			more by weight#	producer	IT, DE, ES
300340/20	3204110050	3204110050	#Colourant C.I. Disperse Blue 72 (CAS RN 81-48-	UK	
11			1) and preparations based thereon with a	suspdeletion	
			colourant C.I. Disperse Blue 72 content of 95 %	if no EU27	
			or more by weight#	producer	ІТ
247805/20	3204110060	3204110060	#Colourant C.I. Disperse Blue 359 (CAS RN 62570-	UK	
11			50-7) and preparations based thereon with a	suspdeletion	
			colourant C.I. Disperse Blue 359 content of 50 %	if no EU27	
			or more by weight#	producer	ІТ
989532/20	3204120010	3204120010	#Colourant C.I. Acid Blue 9 (CAS RN 2650-18-2)	UK	
. 11			and preparations based thereon with a colourant	suspdeletion	
			C.I. Acid Blue 9 content of 50 % or more by	if no EU27	
			weight#	producer	PL, IT
4546104/2	3204130015	3204130015	#Colourant C.I. Basic Blue 41 (CAS RN 12270-13-		
017			2) and preparations based thereon with a		
			colourant C.I. Basic Blue 41 content of 50 % or		
			more by weight#	≥15000/green	
4546154/2	3204130025	3204130025	#Colourant C.I. Basic Red 46 (CAS RN 12221-69-1)	, 0	
, 017			and preparations based thereon with a colourant		
			C.I. Basic Red 46 content of 20 % or more by		
			weight#	<15000/red	
4546201/2	3204130035	3204130035	#Colourant C.I. Basic Yellow 28 (CAS RN 54060-		
, 017			92-3) and preparations based thereon with a		
			colourant C.I. Basic Yellow 28 content of 50 % or		
			more by weight#	≥15000/green	
1090288/2	3204130040	3204130040	#Colourant C.I. Basic Violet 1 (CAS RN 603-47-4	, 5	1
012			or CAS RN 8004-87-3) and preparations based		
			thereon with a colourant C.I. Basic Violet 1		
20			content of 90 % or more by weight#	≥15000/green	
3.2022 / 505		•			•

-	3204130045	3204130045	#Mixture of colourant C.I. Basic Blue 3 (CAS RN		
017			33203-82-6) and colourant C.I. Basic Blue 159		
			(CAS RN 105953-73-9) with a colourant Basic		
			Blue content of 40 % or more by weight#	<15000/red	
4548665/2	3204160040	3204160040	#Aqueous solution of Colourant C.I. Reactive Red		
017			141 (CAS RN 61931-52-0)## with a colourant C.I.		
			Reactive Red 141 content of 13 % or more by		
			weight, and containing a preservative	≥15000/green	
1489188/2	3204170026	3204170026	#Colourant C.I. Pigment Orange 13 (CAS RN		
017			3520-72-7) and preparations based thereon with		
			a colourant C.I. Pigment Orange 13 content of 80		
			% or more by weight#	≥15000/green	
4505704/2	3204170029	3204170029	#Colourant C.I. Pigment Red 268 (CAS RN 16403-		
017			84-2) and preparations based thereon with a		
			Colourant C.I. Pigment Red 268 content of 80 %		
			or more by weight#	<15000/red	
1096809/2	3204170075	3204170075	#Colourant C.I. Pigment Orange 5 (CAS RN 3468-	UK	
012			63-1) and preparations based thereon with a	suspdeletion	
			colourant C.I. Pigment Orange 5 content of 80 %	if no EU27	
			or more by weight#	producer	DE, BE, ES
320306/20	3204170080	3204170080	#Colourant C.I. Pigment Red 207 (CAS RN 71819-		
12			77-7) and preparations based thereon with a		
			colourant C.I. Pigment Red 207 content of 50 %		
			or more by weight#	<15000/red	
326809/20	3204170085	3204170085	#Colourant C.I. Pigment Blue 61 (CAS RN 1324-		
12			76-1) and preparations based thereon with a		
			colourant C.I. Pigment Blue 61 content of 35 % or		
			more by weight#	≥15000/green	
326853/20	3204170088	3204170088	#Colourant C.I. Pigment Violet 3 (CAS RN 1325-	UK	
12			82-2 or CAS RN 101357-19-1) and preparations	suspdeletion	
			based thereon with a colourant C.I. Pigment	if no EU27	
			Violet 3 content of 90 % or more by weight#	producer	DE, ES, IT
1489199/2	3204190016	3204190016	#Colourant C.I Solvent Yellow 133 (CAS RN		
017			51202-86-9) and preparations based thereon		
			with a colourant C.I. Solvent Yellow 133 content		
			of 97 % or more by weight#	<15000/red	
326949/20	3204190084	3204190084	#Colourant C.I. Solvent Blue 67 (CAS RN 12226-		
12			78-7) and preparations based thereon with a		
			colourant C.I. Solvent Blue 67 content of 98 % or		
			more by weight#	<15000/red	
1523974/2	3204900020	3204900020	#Preparations of colourant C.I. Solvent Red 175		
017			(CAS RN 68411-78-6) in petroleum distillates,		
			hydrotreated light naphthenic (CAS RN 64742-		
			53-6), containing by weight 40 % or more but not		
			more than 60 % of a colourant C.I. Solvent Red		
			175#	<15000/red	
1515121/2	3206497030	3206497030	#Colourant C.I. Pigment Black 12 (CAS RN 68187-	-	
017			02-0) and preparations based thereon with a C.I.		
			Pigment Black 12 content of 50 % or more by		
20			weight#	<15000/red	
.3.2022 / 505			-	<15000/red	

4505654/2	3206497040	3206497040	#Colourant C.I. Pigment Blue 27 (CAS RN 25869-	UK	
017			00-5) and preparations thereon with a colourant	suspdeletion	
			C.I. Pigment Blue 27 content of 85 % or more by	if no EU27	
			weight#	producer	NL, ES
1096793/2	3207408540	3207408540	#Glass flakes (CAS RN 65997-17-3):### # of a		
012			thickness of 0,3 μ m or more but not more than		
			10 µm, and # coated with titanium dioxide (CAS		
			RN 13463-67-7) or iron oxide (CAS RN 18282-10-		
			5) #	<15000/red	
312663/20	3208901925,	3208901925,	#Tetrafluoroethylene copolymer in butylacetate		
12	3904698089	3904698089	solution with a content of solvent of 50 % (\pm 2 %)		
			by weight#	<15000/red	
1085/2007	3208901975	3208901975	#Acenaphthalene copolymer in ethyl lactate	<15000/red	
,			solution#		
1053595/2	3215190020	3215190020	#Ink:### # consisting of a polyester polymer and		
012	0210100020	02101000000	a dispersion of silver (CAS RN 7440-22-4) and		
			silver chloride (CAS RN 7783-90-6) in methyl		
			propyl ketone (CAS RN 107-87-9), # with a total		
			solid content by weight of 55 % or more, but not		
			more than 57 %, and # with a specific density of		
			1,40 g/cm 3 or more, but not more than 1,60		
			g/cm 3 , # ###for use in the manufacture of		
			electrodes#	≥15000/green	
1010/2007	2402120020	3402420020		212000/Bineeu	
1049/2007	3402130020	3402420020	#Surfactant containing 1,4-dimethyl-1,4- bis (2-		
			methylpropyl)-2-butyne-1,4-diyl ether,	545000/	
			polymerised with oxirane, methyl terminated#	≥15000/green	
1489313/2	3506919060	3506919060	#Temporary wafer-bonding adhesive material in		
017			the form of a suspension of a solid polymer in D-		
			limonene (CAS RN 5989-27-5) with a polymeric		
			content by weight of 25 % or more but not more		
			than 35 %#	<15000/red	
1489278/2	3506919070	3506919070	#Temporary wafer-bonding release in the form		
017			of a suspension of a solid polymer in		
			cyclopentanone (CAS RN 120-92-3) with a		
			polymeric content of not more than 10 % by		
			weight#	<15000/red	
1563699/2	3603006010	3603500010	#Igniters for gas generators with an overall		
017			maximum length of 20,34mm or more but not		
			more than 29,4 mm and a pin length of 6,68 mm		
			(± 0,3 mm) or more but not more than 7,54 mm		
			(± 0,3 mm)#	≥15000/green	
4613870/2	3707100060	3707100060	#Sensitising emulsion, containing by weight:###	<15000/red	
017			# not more than 5 % of photoacid generator, # 2	-	
			% or more but not more than 50 % of phenolic		
			resins, and # not more than 7 % of epoxy-		
			containing derivatives, # ###dissolved in heptan-		
			2-one and/or ethyllactate#		
4565219/2	3802100020	3802100040	#Chemically activated carbon for the absorption		
	2002100020		and desorption of vapors, in a defined or		
00			irregular shape with an effective butane capacity	≥15000/green	
/ 2	I	I		-19000/8/66/	1
3.2022 / 505					
-	kanun gereğince güve	enli elektronik imza ile ir	nzalanmıştır. ID:2090081412022228114630. Bu kod ile http://dogrulama.tim	.org.tr/ adresinden doğru	ılavabilirsir

2000010000	2000010000	ASTM D 5228)#	
3808919060	3808919060		
			> 4 F 0 0 0 /
			≥15000/green
3808939030	3808939030		
		-	
			<15000/red
3808939060	3808939060		
		-	
			<15000/red
3811210030	3811210030		
			≥15000/green
3811210050	3811210050		
		manufacture of engine oils through a blending	
		process#	≥15000/green
3811210060	3811210060	#Additives for lubricating oils, containing mineral	
		substituted benzenesulphonate (CAS RN 75975-	
		85-8) with a content by weight of 25 % or more	
		but not more than 35 %, # with a total base	
		number (TBN) of 280 or more but not more than	
		320, # ###used as a concentrated additive for the	
		manufacture of engine oils through a blending	
		process#	≥15000/green
3811210070	3811210070	#Additives for lubricating oils,### # containing	
		polyisobutylene succinimide derived from	
		reaction products of polyethylenepolyamines	
		with polyisobutenyl succinic anhydride (CAS RN	
		84605-20-9), # containing mineral oils, # with a	
		chlorine content by weight of 0,05 % or more but	
		not more than 0,25 %, # with a total base	
		number (TBN) of more than 20, # ###used as a	
1		concentrated additive for the manufacture of	
		engine oils through a blending process#	
	3811210060	3808939030 3808939030 3808939060 3808939060 3801210030 3811210030 3811210050 3811210050 3811210060 3811210060	3808919060 3808919060 #Spinetoram (ISO) (CAS RN 935545-74-7), preparation of two spinosyn components (3'- ethoxy-5,6-dihydro spinosyn 1) and (3'-ethoxy- spinosyn L)# 3808939030 3808939030 #Aqueous solution containing by weight:### # 1,8 % of sodium para-nitrophenolate, # 1,2 % of sodium ortho-nitrophenolate, # 0,6 % of sodium 5-nitroguaiacolate, # ###for use in the manufacture of a plant growth regulator # 3808939060 3808939060 #Preparation in the form of tablets containing by weight: ## 0,55 % or more but not more than 2,50 % of 1-methylcyclopropen (1-MCP) (CAS RN 3100-04-7) with a minimum purity of 96 % or more, and less than 0,05 % of each of the two impurities, 1-chloro-2-methylpropene (CAS RN 513-37-1) and 3-chloro-2-methylpropene (CAS RN 53811210050 3811210050 #Additives for lubricating oils, containing mineral oils, ### based on calcium polypropylenyl substituted benzenesulphonate (CAS RN 75975- 85-8) with a content by weight of 25 % or more but not more than 35 %, # with a total base number (TBN) of 280 or more but not m

1138422/2	3811210075	3811210075	#Additives containing:### # Calcium (C10-C14)	
015	0011210070	0011210070	dialkylbenzenesulfonates, # more than 40 %, but	
015			not more than 60 % by weight of mineral oils, #	
			###with a total base number of not more than	
			10, for use in the manufacture of blends of	
				≥15000/green
1127015/2	2011210077	2011210077	additives for lubricating oils#	213000/green
1137815/2	3811210077	3811210077	#Antifoam additives consisting of:### # a	
015			copolymer of 2-ethylhexyl acrylate and ethyl	
			acrylate, and # more than 50 % but not more	
			than 80 % by weight of mineral oils, # ###for use	
			in the manufacture of additive blends for	>15000/
			lubricating oils#	≥15000/green
1137567/2	3811210080	3811210080	#Additives containing :### # polyisobutylene	
015			aromatic polyamine succinimide, # more than 40	
			% but not more than 60 % by weight of mineral	
			oils, # ###with a nitrogen content of more than	
			0,6 % but not more than 0,9 % by weight, for use	
			in the manufacture of additive blends for	
			lubricating oils#	≥15000/green
335473/20	3811210085	3811210085	#Additives:### # containing more than 20 % but	
12			not more than 45 % by weight of mineral oils, #	
			based on a mixture of branched dodecylphenol	
			sulfide calcium salts, whether or not carbonated,	
			# ###for use in the manufacture of blends of	
			additives#	≥15000/green
335395/20	3811290020	3811290020	#Additives for lubricating oils, consisting of	
12			reaction products of bis(2-methylpentan-2-	
			yl)dithiophosphoric acid with propylene oxide,	
			phosphorus oxide, and amines with C12-14 alkyl	
			chains, used as a concentrated additive for the	
			manufacture of lubricating oils#	≥15000/green
335383/20	3811290030	3811290030	#Additives for lubricating oils, consisting of	
12			reaction products of butyl-cyclohex-3-	
			enecarboxylate, sulphur and triphenyl phosphite	
			(CAS RN 93925-37-2), used as a concentrated	
			additive for the manufacture of engine oils	
			through a blending process#	≥15000/green
335281/20	3811290040	3811290040	#Additives for lubricating oils, consisting of	
12			reaction products of 2-methyl-prop-1-ene with	
			sulphur monochloride and sodium sulphide (CAS	
			RN 68511-50-2), with a chlorine content by	
			weight of 0,01 % or more but not more than 0,5	
			%, used as a concentrated additive for the	
			manufacture of lubricating oils#	≥15000/green
335430/20	3811290050	3811290050	#Additives for lubricating oils, consisting of a	
12	3011230030	3011230030	mixture of N,N -dialkyl -2-hydroxyacetamides	
			with alkyl chain lengths between 12 and 18	
			carbon atoms (CAS RN 866259-61-2), used as a	
			concentrated additive for the manufacture of	
02			engine oils through a blending process#	≥15000/green
10				223000/ 81CC11

015	3811290065	3811290065	#Additives consisting of a sulphurised mixture of vegetable oil, long chain α -olefins and tall oil fatty acids, with a sulphur content of 8 % or more but not more than 12 % by weight, for use in the manufacture of blends of additives for lubricating oils#	<15000/red	
314105/20 12	3811900040	3811900040	#Solution of a quaternary ammonium salt based on polyisobutenyl succinimide, containing by weight 10 % or more but not more than 29,9 % of 2-ethylhexanol#	≥15000/green	
1013685/2 011	3812399070	3812399070	#Light stabiliser containing:### # branched and linear alkyl esters of 3-(2H-benzotriazolyl)-5-(1,1- dimethylethyl)-4-hydroxybenzenepropanoic acid (CAS RN 127519-17-9), and # 1-methoxy-2- propyl acetate (CAS RN 108-65-6) #	UK suspdeletion if no EU27 producer	BE, NL, DE, IT
1095046/2 012	3812399080	3812399080	#UV-stabilizer, consisting of:### # a hindered amine: N,N' -bis(1,2,2,6,6-pentamethyl-4- piperidinyl)-1,6-hexanediamine, polymer with 2,4-dichloro-6-(4-morpholinyl)-1,3,5-triazine (CAS RN 193098-40-7) and # either an o- hydroxyphenyl triazine UV light absorber or # a chemically modified phenolic compound #	≥15000/green	
	3815909016 3815909018	3815909016 3815909018	<pre>#Initiator based on dimethylaminopropyl urea# #Oxidation catalyst with an active ingredient of di[manganese (1+)], 1,2-bis(octahydro-4,7- dimethyl-1 H -1,4,7-triazonine-1-yl- k N 1 , k N 4 , k N 7)ethane-di- μ -oxo- μ -(ethanoato- k O, k O')-, di[chloride(1-)] (CAS RN 1217890-37-3), used to accelerate chemical oxidation or bleaching#</pre>	≥15000/green UK suspdeletion if no EU27 producer	NL
1443007/2 017	3815909043	3815909043	#Catalyst in powder form consisting by weight of### # 92,50 % (± 2) % titanium dioxide (CAS RN 13463-67-7), # 5 % (± 1) % silicon dioxide (CAS RN 112926-00-8), and # 2,5 % (± 1,5) % sulphur trioxide (CAS RN 7446-11-9) #	≥15000/green	
1680/6/19 96	3815909085	3815909085	#Catalyst based on aluminosilicate (zeolite), for the alkylation of aromatic hydrocarbons, for the transalkylation of alkylaromatic hydrocarbons or for the oligomerization of olefins#	≥15000/green	
1562945/2 017	3824999226	3824999226	 #Preparation containing by weight:### # 60 % or more but not more than 75 % of Solvent naphtha (petroleum), heavy aromatic (CAS RN 64742-94-5) # 15 % or more but not more than 25 % of 4-(4-nitrophenylazo)-2,6-di-sec-butyl-phenol (CAS RN 111850-24-9), and # 10 % or more but not more than 15 % of 2-sec-butylphenol (CAS RN 89-72-5) # 	<15000/red	
968687/20 110 2005 / 2007 2005 ·	3824999247	3824999247	#Preparation, containing:### # trioctylphosphine oxide (CAS RN 78-50-2), # dioctylhexylphosphine oxide (CAS RN 31160-66- 4), # octyldihexylphosphine oxide (CAS RN	<15000/red	

1075/2007	3824999249 3824999250	3824999249	#Preparation based on 2,5,8,11-tetramethyl-6- dodecyn-5,8-diol ethoxylate (CAS RN 169117-72- 0)#	>15000/2002 00	
1096835/2 3	3824999250	2024000250		>15000/	
1096835/2 3	3824999250	2024000250		≥15000/green	
1096835/2 3		3824999250	#Alkyl carbonate-based preparation, also		
-			containing a UV absorber, for use in the		
-			manufacture of spectacle lenses#	<15000/red	
-	3824999280	3824999280	#Diethylene glycol propylene glycol		
			triethanolamine titanate complexes (CAS RN		
			68784-48-5) dissolved in diethylene glycol (CAS		
			RN 111-46-6)#	<15000/red	
4656777/2	3824999338	3824999338	#Mixture of 4,4'-		
017			(perfluoroisopropylidene)diphenol (CAS RN		
			1478-61-1) and 4,4'-		
			(perfluoroisopropylidene)diphenol benzyl		
			triphenyl phosphonium salt (CAS RN 75768-65-		
			9)#	<15000/red	
1071/2007	3824999363	3824999363	#Mixture of phytosterols, not in the form of		
			powder, containing by weight:### # 75 % or		
			more of sterols, # not more than 25 % of stanols,		
			# ###for use in the manufacture of		
			stanols/sterols or stanol/sterol esters#	≥15000/green	
1164/07	3824999388	3824999388	#Mixture of phytosterols containing by		
			weight:### # 60 % or more, but not more than		
			80 % of sitosterols, # less than 15 % of		
			campesterols, # less than 5 % of stigmasterols,		
			and # less than 15 % of betasitostanols #	≥15000/green	
4537658/2	3824999630	3824999630	#Rare-earth concentrate containing by		
017			weight:### # 20 % or more but not more than 30		
			% of cerium oxide (CAS RN 1306-38-3), # 2 % or		
			more but not more than 10 % of lanthanum		
			oxide (CAS RN 1312-81-8), # 10 % or more but		
			not more than 15 % of yttrium oxide (CAS RN		
			1314-36-9), and # not more than 65 % of		
			zirconium oxide (CAS RN 1314-23-4) including		
			natural occurring hafnium oxide #	<15000/red	
	3824999650	3824999650	#Nickel hydroxide, doped with 12 % or more but		
12			not more than 18 % by weight of zinc hydroxide		
			and cobalt hydroxide, of a kind used to produce	>45000/	
1005011/2			positive electrodes for accumulators#	≥15000/green	
	3824999687	3824999687	#Platinum oxide (CAS RN 12035-82-4) fixed on a		
012			porous support of aluminium oxide (CAS RN		
			1344-28-1), containing by weight:### # 0,1 % or		
			more but not more than 1 % of platinum, and #		
			0,5 % or more but not more than 5 % of	>15000/2002	
4527555/2	200200020	200200028	ethylaluminium dichloride (CAS RN 563-43-9) #	≥15000/green	
-	3903909038,	3903909038,	#Polytetrafluoroethylene (CAS RN 9002-84-0)		
	3904698088	3904698088	encapsulated with an acrylonitrile-styrene		
3.2022 / 505			copolymer (CAS RN 9003-54-7), with a content by weight of each polymer of 50% (± 1 %)#	>15000/aroon	
N		<u> </u>	weight of each polymer of 50 % (± 1 %)#	≥15000/green	

305325/20 12	3904698085	3904698085	#Copolymer of ethylene with chlorotrifluoroethylene, whether or not modified with hexafluoroisobutylene, in powder form, whether or not with fillers#	≥15000/green	
1070017/2 012	3905300010	3905300010	#Viscous preparation, essentially consisting of poly(vinyl alcohol) (CAS RN 9002-89-5), an organic solvent and water for use as protective coating of wafers during the manufacturing of semiconductors#	<15000/red	
1048299/2 012	3905910040	3905910040	#Water soluble copolymer of ethylene and vinyl alcohol (CAS RN 26221-27-2), containing by weight not more than 38 % of the monomer unit ethylene#	≥15000/green	
4422335/2 017	3906909023	3906909023	 #Copolymer of methylmethacrylate, butylacrylate, glycidylmethacrylate and styrene (CAS RN 37953-21-2), with an epoxy equivalent weight of not more than 500, in form of ground flakes with a particle size of not more than 1 cm# 	≥15000/green	
1091125/2 012	3906909027	3906909027	#Copolymer of stearyl methacrylate, isooctyl acrylate and acrylic acid, dissolved in isopropyl palmitate#	<15000/red	
3893290/2 015	3907100020	3907100020	#Polyoxymethylene with acetyl endcaps, containing polydimethylsiloxane and fibers of a copolymer of terephthalic acid and 1,4- phenyldiamine#	<15000/red	
1013632/2 011	3907201160	3907291160	#Preparation containing:### # α -[3-[3-(2H- Benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4- hydroxyphenyl]-1-oxopropyl]- ω - hydroxypoly(oxy-1,2-ethanediyl) (CAS RN 104810-48-2) and # α -[3-[3-(2H-Benzotriazol-2- yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1- oxopropyl]- ω -[3-[3-(2H-benzotriazol-2-yl)-5-(1,1- dimethylethyl)-4-hydroxyphenyl]-1- oxopropoxy]poly(oxy-1,2-ethanediyl) (CAS RN 104810-47-1) #	UK suspdeletion if no EU27 producer	NL, BE, ES, DE
1111901/2 012	3907202020	3907292020	#Polytetramethylene ether glycol with a weight average molecular weight (Mw) of 2 700 or more but not more than 3 100 (CAS RN 25190-06-1)#	UK suspdeletion if no EU27 producer	NL
1515223/2 017	3907202060	3907292060	#Polypropylene glycol monobutyl ether (CAS RN 9003-13-8) of an alkalinity of not more than 1 ppm of sodium#	UK suspdeletion if no EU27 producer	BE
323377/20 12	3907300060	3907300060	#Polyglycerol polyglycidyl ether resin (CAS RN 118549-88-5)#	<15000/red	
4573511/2 017	3907300070	3907300070	 #Preparation of epoxy resin (CAS RN 29690-82-2) and phenolic resin (CAS RN 9003-35-4) containing by weight:## 65 % or more but not more than 75 % of silicon dioxide (CAS RN 60676- 86-0), and none or not more than 0,5 % of 		
52 / :			carbon black (CAS RN 1333-86-4)	≥15000/green	

320049/20 12	3907998025	3907998025	#Copolymer, containing 72 % by weight or more of terephthalic acid and/or isomers thereof and cyclohexanedimethanol#	≥15000/green	
4573548/2 017	3909200010	3909200010	 #Polymer mixture, containing by weight:### 60 % or more but not more than 75 % of melamine resin (CAS RN 9003-08-1), # 15 % or more but not more than 25 % of silicon dioxide (CAS RN 14808-60-7 or 60676-86-0), # 5 % or 		
			more but not more than 15 % of cellulose (CAS RN 9004-34-6), and # 1 % or more but not more than 15 % of phenolic resin (CAS RN 25917-04-8) #	≥15000/green	
1084/2007	3910000050	3910000050	#Silicone based pressure sensitive adhesive in solvent containing copoly(dimethylsiloxane/diphenylsiloxane) gum#	≥15000/green	
1054/2007	3911901930	3911901930	#Copolymer of ethyleneimine and ethyleneimine dithiocarbamate, in an aqueous solution of sodium hydroxide#	≥15000/green	
326385/20 12	3911909953	3911909953	#Hydrogenated polymer of 1,2,3,4,4a,5,8,8a- octahydro-1,4:5,8-dimethanonaphthalene with 3a,4,7,7a-tetrahydro-4,7-methano-1H-indene and 4,4a,9,9a-tetrahydro-1,4-methano-1H-		
326364/20 12	3911909957	3911909957	fluorene (CAS RN 503442-46-4)# #Hydrogenated polymer of 1,2,3,4,4a,5,8,8a- octahydro-1,4:5,8-dimethanonaphthalene with 4,4a,9,9a-tetrahydro-1,4-methano-1H-fluorene (CAS RN 503298-02-0)#	<15000/red	
886/06	3919108040, 3919908043	3919108040, 3919908043	#Black poly(vinyl chloride) film:### # with a gloss of more than 30 degrees according to ASTM D2457, # whether or not covered on one side with a protective poly(ethyleneterephthalate) film, and on the other side with a pressure sensitive adhesive with channels and a release liner #	<15000/red	
254103/20 09	3919108043, 3919908026	3919108043, 3919908026	#Ethylene vinyl acetate film:### # of a thickness of 100 μm or more, # coated on one side with an acrylic pressure sensitive or UV-sensitive adhesive and a polyester or polypropylene liner #	<15000/red	
1087/2007	3919108045, 3919908045	3919108045, 3919908045	#Reinforced polyethylene foam tape, coated on both sides with an acrylic micro channelled pressure sensitive adhesive and on one side a liner, with an application thickness of 0,38 mm or more but not more than 1,53 mm#	≥15000/green	
1316/4/20 03	3919108055, 3919908053	3919108055, 3919908053	#Acrylic foam tape, covered on one side with a heat activatable adhesive or an acrylic pressure sensitive adhesive and on the other side with an acrylic pressure sensitive adhesive and a release sheet, of a peel adhesion at an angle of 90 ° of	. ~	
505			more than 25 N/cm (as determined by the ASTM D 3330 method)#	≥15000/green	

4656736/2	3919908021	3919908021	#Polytetrafluoroethylene film,### # with a	I	
017	5515500021	5515500021	thickness of 50 μ m or more but not more than		
017			$155 \ \mu\text{m}, \#$ with a width of 6,30 mm or more but		
			not more than 585 mm, # an elongation at break		
			of not more than 200 %, and # coated on one		
			side with a pressure sensitive silicone adhesive	45000/	
1150/0000			with a thickness of not more than 40 µm #	<15000/red	
1159/2008	3919908083	3919908083	#Reflector or diffuser sheets, in rolls,### # for		
			protection against ultraviolet or infra-red heat		
			radiation, to be affixed to windows or # for		
			equal transmission and distribution of light,		
			intended for LCD modules #	≥15000/green	
3119/13/0	3920108940	3920108940	#Composite sheet containing an acrylic coating	UK	
4, 804/06			and laminated to a high-density polyethylene	suspdeletion	
			layer, of a total thickness of 0,8 mm or more but	if no EU27	
			not more than 1,2 mm#	producer	IT
4958135/2	3920108945	3920108945	#Octene and ethylene copolymer plastic film of a		
020			thickness of 0,45 mm or more but not more than		
			0,75 mm, for use in the manufacture of glass to		
			glass photovoltaic solar panels#	≥15000/green	
294101/20	3920202994	3920202994	#Mono-axial oriented, co-extruded film:### #		
11			consisting of 3 to 5 layers, # each layer mainly		
			consisting of polypropylene and/or polyethylene,		
			# each layer containing not more than 10 % by		
			weight of other polymers, # whether or not		
			containing titanium dioxide in the core layer, #		
			of an overall thickness of not more than 75 μ m #	≥15000/green	
4537586/2	3920621905,	3920621905,	#Poly(ethylene terephthalate) film in rolls:### #		
017	3920629010	3920629010	with a thickness of 0,335 mm or more but not		
			more than 0,365 mm, and # coated with a gold		
			layer with a thickness of 0,03 μ m or more but not		
			more than 0,06 μ m #	≥15000/green	
1177/07	3920621960	3920621960	#Poly(ethylene terephthalate) film:### # of a		
11///0/	3520021500	5520021500	thickness of not more than 20 μ m, # coated on		
			at least one side with a gas barrier layer		
			consisting of a polymeric matrix in which silica or		
			aluminium oxide has been dispersed and of a thickness of not more than 2µm #	>15000/groop	
1001102/2	2021121020	2021121020		≥15000/green	
1091163/2	3921131020	3921131020	#Rolls of open-cell polyurethane foam:### #		
012			with a thickness of 2,29 mm (± 0,25 mm), #		
			surface-treated with a foraminous adhesion		
			promoter, and # laminated to a polyester film	(= = = = (
4 = = = = = = = = = = = =	2024/22222	2024/2225	and a layer of textile material #	<15000/red	
1575341/2	3921190060	3921190060	#Multi-porous multilayer separator foil with:###		
017			# one microporous polyethylene layer between		
			two microporous polypropylene layers and		
			whether or not containing a coating of		
			aluminium oxide on both sides, # a width of 65		
05			mm or more but not more than 170 mm, # a		
20			total thickness of 0,01 mm or more but not more	≥15000/green	

			than 0,03 mm, # a porosity of 0,25 or more but		
			not more than 0,65 #		
1515277/2	3921190070	3921190070	#Microporous membranes of expanded		
017			Polytetrafluoroethylene (ePTFE) in rolls,		
			having:### # a width of 1 600 mm or more but		
			not more than 1 730 mm, and # a membrane		
			thickness of 15 μ m or more, but not more than		
			50 μm # ###for use in the manufacture of a bi-		
			component ePTFE membrane#	<15000/red	
1565442/2	3926300050,	3926300050,	#Coated interior or exterior decorative parts		
017	3926909748	3926909748	consisting of:### # a copolymer of acrylonitrile-		
			butadiene-styrene (ABS), whether or not mixed		
			with polycarbonate, and # a PVC foil, # not		
			containing layers of copper, nickel or chromium,		
			# ###for use in the manufacturing of parts for		
			motor vehicles of heading 8701 to 8705#	≥15000/green	
4488695/2	4016995730	4016995730	#Pin boot of a brake calliper made of vulcanized		
017			rubber with:### # an inner diameter of not less		
			than 5 mm and an outer diameter of not more		
			than 35 mm, # a height of 15 mm or more, but		
			not more than 40 mm, and # a ribbed design #		
			###for use in the manufacture of goods of		
			Chapter 87#	<15000/red	
1102689/2	4104411910	4104411910	#Buffalo leather, split, chrome tanned synthetic		
012	1101111110	1101111510	retanned ("crust"), dry#	<15000/red	
4609952/2	5311009010	5311009010	#Plain-woven fabric of paper yarns glued on a	10000/100	
017	5511005010	5511005010	tissue paper layer:### # with a weight of 190		
017			g/m 2 or more but not more than 280 g/m 2 ,		
			and # cut into rectangles with a side length of 40		
				>1E000/groop	
2007205/2	F 402200010	F 402200010	cm or more but not more than 140 cm #	≥15000/green	
3887395/2	5403390010	5403390010	#Biodegradable (norm EN 14995) monofilament		
015			of not more than 33 dtex, containing at least 98		
			% by weight polylactide (PLA), for use in the		
			manufacture of filtration fabrics for the food	45000/001	
4004/0007	5407400040	5407400040	industry#	<15000/red	
1024/2007	5407100010	5407100010	#Textile fabric, consisting of warp filament yarns	<15000/red	
			of polyamide-6,6 and weft filament yarns of		
			polyamide-6,6, polyurethane and a copolymer of		
			terephthalic acid, p -phenylenediamine and		
			3,4'-oxybis (phenyleneamine)#		
4613955/2	5911909950	5911909950	#Loudspeaker vibration damper, made from		
017			round, corrugated, flexible and cut-to-size tissue		
			of textile fibres of polyester, cotton or aramid or		
			a combination hereof, of a kind used in car		
			loudspeakers#	≥15000/green	
1074119/2	7009100050	7009100050	#Unfinished electro-chromic auto-dimming		
012			mirror for motor vehicle rear-view mirrors:### #		
			whether or not equipped with plastic backing		
2			plate, # whether or not equipped with a heating		
20			element, # whether or not equipped with Blind		
`			Spot Module (BSM) display #	≥15000/green	
22			· · · ·		
.3.2022 / 505					
0					
~ / /					
	konun gerežiere en		nzalanmıştır. ID:2090081412022228114630. Bu kod ile http://dogrulama.tim.	ora tr/ adresinder	vobilizeinin

323336/20	7019120005,	7019120005,	#Rovings ranging from 1 980 to 2 033 tex,	
12	7019120025	7019120005,	composed of continuous glass filaments of 9 μ m	
12	/010120020	/019120025	(± 0,5 μm)#	≥15000/green
323461/20	7019191015	7019130015	#S-glass yarn of 33 tex or a multiple of 33 tex (±	
12	/010101010	/019130013	13 %) made from continuous spun-glass	
12			filaments with fibres of a diameter of 9 μ m (- 1	
			$\mu m / + 1,5 \mu m)$ #	≥15000/green
138412/20	7019191050	7019130050	#Yarn of 11 tex or a multiple thereof (\pm 7,5 %),	
10	/019191050	/019130050	obtained from continuous spun-glass filaments,	
10			containing 93 % by weight or more of silicon	
			dioxide, of a nominal diameter of 6 μ m or 9 μ m,	
			other than those treated#	≥15000/green
1489261/2	7020001020	7020001020	#Raw material for optical elements of fused	
017	/020001020	/020001020	silicon dioxide with:#### a thickness of 10 cm or	
017			more but not more than 40 cm and # a weight of	
			100 kg or more #	≥15000/green
1379018/2	7315119010	7315119010	#Roller type steel timing chain with a fatigue	
017	/515115010	/515115010	limit of 2 kN at 7 000 rpm or more for use in the	
			manufacture of engines of motor vehicles#	<15000/red
4629002/2	7326909240	7326909240	#Steel nozzle shell with integral flange in one	
017	7320909240	7320909240	piece open-die forged from 4 castings, worked	
			and machined, with:## a diameter of 5 752 mm	
			or more but not more than 5 758 mm, a height	
			of 3 452 mm or more but not more than 3 454	
			mm, a total weight 167 875 kg or more but not	
			more than 168 125 kg #of a kind used for the	
			fabrication of a nuclear reactor vessel#	<15000/red
4610317/2	7409190010,	7409190010,	#Plates or sheets:### # with at least one layer of	<13000/120
017	7409190010, 7410210070	7409190010, 7410210070	woven glass fibre, impregnated with a fire-	
017	7410210070	7410210070	retardant artificial or synthetic resin with a glass	
			transition temperature (Tg) of more than 130 °C	
			as measured according to IPC-TM-650, method	
			2.4.25, # coated on one or both sides with a	
			copper film with a thickness of not more than 3,2	
			mm, # ###and containing at least one of the	
			following:### # poly(tetrafluoroethylene) (CAS	
			RN 9002-84-0) # poly(oxy-(2,6-dimethyl)-1,4-	
			phenylene) (CAS RN 25134-01-4) # epoxy resin	
			having a thermal expansion of not more than 10	
			ppm in length and width and not more than 25	
			ppm in height # ###for use in the manufacture of	
			circuit boards#	<15000/red
4613981/2	7413000020	7413000020	#Loudspeaker centring ring, consisting of one or	
017	, 413000020	7413000020	more vibration dampers and minimum two non-	
			insulated copper cables, therein woven or	
			pressed#	≥15000/green
582476/20	7604291010,	7604291010,	#Sheets and bars of aluminium-lithium alloys#	
10	7606129921,	7606129921,		
10	7606129925	7606129925		≥15000/green
1443058/2	8101960020	8101960020	#Tungsten wire### # containing by weight 99,95	
017	5101500020	5101500020	% or more of tungsten, and # with a maximum	≥15000/green
	1		, s or more or tangeten, and it with a maximum	

	0102102010	0103100010	mm #		
	8102100010	8102100010	#Molybdenum powder with:### # a purity by		
2			weight of 99 % or more and # a particle size of	×45000/	
			1,0 μm or more, but not more than 5,0 μm #	≥15000/green	
516795/2	8108200070	8108200070	#Titanium alloy slab, with### # a height of 20,3		
17			cm or more, but not more than 23,3 cm, # a		
			length of 246,1 cm or more, but not more than		
			289,6 cm, # a width of 40,6 cm or more, but not		
			more than 46,7 cm, # a weight of 820 kg or more		
			but not more than 965 kg, # ###containing alloy		
			elements by weight of:### # 5,2 % or more but not more than 6,2 % of aluminium, # 2,5 % or		
			more but not more than 4,8 % of vanadium #	<15000/red	
518694/2	8108903015	8108903015	#Rods and wire of an alloy of titanium with:### #	<15000/160	
17	0100902012	8108902012	a uniform solid cross-section in the form of a		
1/			cylinder, # with a diameter of 0,8 mm or more,		
			but not more than 5 mm, # an aluminium		
			content by weight of 0,3 % or more, but not		
			more than 0,7 %, # a silicon content by weight of		
			0,3 % or more, but not more than 0,6 %, # a		
			niobium content by weight of 0,1 or more, but		
			not more than 0,3 %, and # an iron content by		
			weight of not more than 0,2 % #	≥15000/green	
565292/2	8108905045	8108905045	#Cold or hot rolled plates, sheets and strips of		
17			non-alloyed titanium with:### # a thickness of		
			0,4 mm or more, but not more than 100 mm, # a		
			length of not more than 14 m, and # a width of		
			not more than 4 m #	≥15000/green	
173/2007	8113009010	8113009010	#Carrier plate of aluminium silicon carbide (AlSiC-		
			9) for electronic circuits#	≥15000/green	
17291/20	8207301010	8207301010	#Set of transfer and/or tandem press tools for		
2			cold-forming, pressing, drawing, cutting,		
			punching, bending, calibrating, bordering and		
			throating of metal sheets, for use in the		
			manufacture of frame parts or body parts of		
			motor vehicles#	≥15000/green	
	8407332010,	8407332010,	#Spark-ignition reciprocating or rotary internal		
	8407338010,	8407338010,	combustion piston engines, having a cylinder		
	8407908010,	8407908010,	capacity of not less than 300 cm 3 and a power		
	8407909010	8407909010	of not less than 6 kW or more but not more than		
			20,0 kW, for the manufacture of:### # lawn		
			mowers of subheadings 8433 11, 8433 19 and		
			8433 20, # tractors of subheadings 8701 91 90,		
			8701 92 90 whose main function is that of a lawn		
			mower, # four stroke mowers with motor of a		
			cylinder capacity of not less than 300 cm 3 of		
			subheading 8433 20 10 or # snowploughs and	>15000/	
02			snow blowers of subheading 8430 20 #	≥15000/green	
/ 2					
2					
3.2022 / 505					
2					
	kanun dereğince düvr	enli elektronik imze ilo in	nzalanmıştır. ID:2090081412022228114630. Bu kod ile http://dogrulama.tim.	ora tr/ adresinden doărul	avahilireiniz
- JUIU Savill	nanun geregilice guv	Sim CIERUUHIR IIIIZA IIE III	nzaranmiştir. 10.203000 r#120222201 14030. Du Kou ile http://uogiulama.um	org.u/ auresmuen uogrui	ayanın Siliiz.

329537/20 12	8408904340, 8408904530, 8408904750	8408904340	#4 Cylinder, 4 cycle, liquid cooled, compression- ignition engine having:### # a capacity of not more than 3 850 cm ³ , and # a rated output of 15	
			kW or more but not more than 85 kW, # ###for use in the manufacture of vehicles of heading 8427#	<15000/red
379092/2	8409990060	8409990060	#Intake manifold for air supply to the engine	
17	0403330000	0403330000	cylinders, comprising at least:### # a throttle, #	
17			a boost pressure sensor # ###for use in the	
			manufacture of compression ignition engines of	
			motor vehicles#	<15000/red
378876/2	8409990080	8409990080	#High pressure oil jet nozzle for engine piston	
17			cooling and lubrication with:### # an opening	
			pressure of 1 bar or more, but not more than 3	
			bar, # a closing pressure of more than 0,7 bar, #	
			a one-way valve # ###for use in the manufacture	
			of compression ignition engines of motor	
			vehicles#	<15000/red
11397/20	8411990020	8411990020	#Wheel-shaped gas turbine component with	
.2			blades, of a kind used in turbochargers:### # of	
			a precision-cast nickel based alloy complying	
			with standard DIN G- NiCr13Al6MoNb or DIN G-	
			NiCr13Al16MoNb or DIN G- NiCo10W10Cr9AlTi	
			or DIN G- NiCr12Al6MoNb or AMS AISI:686, #	
			with a heat-resistance of not more than 1 100 °C,	
			# with a diameter of 28 mm or more, but not	
			more than 180 mm, # with a height of 20 mm or	
0-0-0-0 /0			more, but not more than 150 mm #	≥15000/green
952758/2	8412908020	8412908020	#Bedplate made of solution strengthened ductile	
20			iron castings (SSDI), for anchoring and aligning	
			the drive train (gearbox, pedestal bearing, rotor	
			shaft) of a wind turbine with:### # a length of	
			3,5 m or more but not more than 4,5 m, # a	
			width of 2 m or more but not more than 4,2 m, #	
			a height of 1 m or more, but not more than 1,3 m, # a weight of 11 tons or more but not more	
			than 21,5 tons, # mounting bores for yawdrive, #	
			mounting flange for gearbox support, #	
			drivetrain mount, # different screw sockets #	≥15000/green
564107/2	8414802220	8414802220	#Air membrane compressor with:### # a flow of	
17	0414002220	0414002220	4,5 l/min or more, but not more than 7 l/min, #	
17			power input of not more than 8,1 W, and # a	
			gauge pressure capacity not exceeding 400 hPa	
			(0,4 bar), # ###of a kind used in the production	
			of motor vehicle seats#	≥15000/green
869484/2	8415900055	8415900065	#Aluminium arc-welded removable receiver	
15			dryer, with polyamide and ceramic elements	
			with:### # a length of 143 mm or more but not	
5			more than 292 mm, # a diameter of 31 mm or	
20			more but not more than 99 mm, # with a	
<u> </u>			weight of not less than 0,12 kg and not more	<15000/red
1.3.2022 / 202	kanun gereğince güve	enli elektronik imza ile ir	more but not more than 99 mm, # with a	<u> </u>

		than 0,9 kg, # a spangle length of not more than 0,2 mm and a thickness of not more than 0,06 mm, and # a solid particle diameter of not more than 0,06 mm, # ###for use in the manufacture of car air-conditioning systems#	
8431200030	8431200030	#Drive axle assembly containing differential, reduction gears, crown wheel, drive shafts, wheel hubs, brakes and mast mounting arms for use in the manufacture of vehicles in heading	<15000/red
8481109920	8481109920	#Electromagnetic pressure reducing valve## with a plunger, with at least 275 mPa internal tightness, with a plastic connector with 2 silver	<15000/red
8481109940	8481109940	 #Pressure reducing valves in a brass case with:### # a length of not more than 30 mm (± 1 mm), # a width of not more than 18 mm (± 1 mm), # ###of a kind used for incorporation in fuel delivery modules of motor vehicles# 	≥15000/green
8481805930	8481805930	 #Two-way flow control valve with housing, with:### # at least 5, but not more than 16 outlet holes with at least 0,05 mm, but not more than 0,5 mm diameter, # at least 330 cm 3 /minute, but not more than 5 000 cm 3 /minute flow rate, # at least 19, but not more than 300 MPa operating pressure # 	<15000/red
8481805940	8481805940	#Flow-control valve:### # made of steel, # with an outlet hole with a diameter of 0,05 mm or more, but not more than 0,5 mm, # with an inlet hole with a diameter of 0,1 mm or more, but not more than 1,3 mm, # with chromium nitride	≥ 15000/ green
8481805950	8481805950	#Electromagnetic valve for quantity control with:### # a plunger, # a solenoid with a of coil resistance of at least 1,85 Ohm, but not more than 8,2 Ohm #	≥15000/green
8481805960	8481805960	#Electromagnetic valve for quantity control## with a solenoid with a coil resistance of at least 0,19 Ohm, but not more than 0,66 Ohm, and with an inductance of not more than 1 mH	≥15000/green
8481806960	8481806960	#Four-way reversing valve for refrigerants, consisting of:### # a solenoid pilot valve # a brass valve body including valve slider and copper connections # ###with a working pressure up to 4,5 MPa#	≥15000/green
8483303230, 8483303860	8483303230, 8483303860	#Bearing housing of a kind used in turbochargers:## of precision-cast grey cast iron complying with standard DIN EN 1561 or precision-cast ductile cast iron complying with DIN EN 1560, with oil chambers, without	
	8481109920 8481109940 8481805930 8481805940 8481805940 8481805950 8481805960 8481805960	8481109920 8481109920 8481109940 8481109940 8481805930 8481805930 8481805940 8481805940 8481805950 8481805950 8481805960 8481805960 8481806960 8481806960 8483303230, 8483303230,	mm, and # a solid particle diameter of not more than 0,06 mm, ####for use in the manufacture of car air-conditioning systems#84312000308431200030#Drive axle assembly containing differential, reduction gears, crown wheel, drive shafts, wheel hubs, brakes and mast mounting arms for use in the manufacture of vehicles in heading 8427#84811099208481109920#Electromagnetic pressure reducing valve## with a plunger, with at least 275 mPa internal tightness, with a plastic connector with 2 silver or tin pins84811099408481109940#Pressure reducing valves in a brass case with:### # a length of not more than 30 mm (± 1 mm), # a width of not more than 30 mm (± 1 mm), # a width of not more than 30 mm (± 1 mm), # ##Hof a kind used for incorporation in fuel delivery modules of motor vehicles#84818059308481805930#Two-way flow control valve with housing, with:### # a least 0,05 mm, but not more than 0,5 mm diameter, # at least 330 cm 3 /minute, but not more than 5 000 cm 3 /minute flow rate, # at least 19, but not more than 300 MPa operating pressure #84818059408481805940#Flow-control valve:### # made of steel, # with an outlet hole with a diameter of 0,05 mm or more, but not more than 1,3 mm, # with chromium nitride coating, # with a sufface roughness of Rp 0,4 #84818059508481805950#Electromagnetic valve for quantity control with a solenoid with a of ill resistance of at least 1,85 Ohm, but not more than 8,2 Ohm #84818059608481805960#Electromagnetic valve for regrigerants, consisting of it## a solenoid with a of cioil resistance of at least 1,85 Ohm, but not more than 8,2 Ohm #84818059608481806960#Electromagnetic valv

			not more than 250 mm, with a height of 40 mm		
			or more, but not more than 150 mm, whether or not with water chambers and connectors		
1443106/2	8483409020	8483409020	#Hydrostatic transmission with:### #		
017	8483403020	0403403020	measurements (without shafts) of not more than		
			154 mm x 115 mm x 108 mm, # a weight of not		
			more than 3,3 kg, # a maximum rotation speed		
			of the input shaft of 2700 rpm or more, but not		
			more than 3200 rpm, # a torque of the output		
			shaft of not more than 10,4 Nm, # a rotation		
			speed of the output shaft of not more than 930		
			rpm at 2800 rpm input speed, and # an		
			operating temperature range of -5 °C or more,		
			but not more than +40 °C # ###for use in the		
			manufacture of hand-operated lawn mowers of		
			subheading 8433 11 90#	<15000/red	
1443085/2	8483409030	8483409030	#Hydrostatic transmission with### # a reduction		
017			of 20,63:1 or more, but not more than 22,68:1, #		
			an input speed of 1800 rpm or more when loaded and of not more than 3 000 rpm when		
			unloaded, # a continuous output torque of 142		
			Nm or more, but not more than 156 Nm, # an		
			intermittent output torque of 264 Nm or more,		
			but not more than 291 Nm, and # an axle shaft		
			diameter of 19,02 mm or more, but not more		
			than 19,06 mm, # whether or not equipped with		
			a fan impeller or with a pulley with integrated		
			fan impeller # ###for use in the production of		
			self-propelled lawn mowers with a seat of		
			subheading 8433 11 51, and tractors of		
			subheading 8701 91 90, whose main function is		
			that of a lawn mower#	<15000/red	
	8501101020	8501101020	#Synchronous motor for a dishwasher with a		
015			water flow control mechanism with### a		
			length without axle of 24 mm $(\pm 0,3)$, # a		
			diameter of 49,3 mm $(\pm 0,3)$, # a rated voltage of		
			220 V AC or more but not more than 240 V AC, #		
			a rated frequency of 50 Hz or more but not more		
			than 60 Hz, # an input power of not more than 4 W, # a rotation speed of 4rpm or more but not		
			more than 4,8rpm, # an output torque of not		
			less than 10kgf/cm #	≥15000/green	
1102749/2	8501109960	8501109960	#DC motor:### # with a rotor speed of 3 500		
012			rpm or more but not more than 5 000 rpm		
			loaded and not more than 6 500 rpm when not		
			loaded # with a power supply voltage of 100 V or		
			more but not more than 240 V # ###for use in		
			the manufacture of electric fryers#	≥15000/green	
1443120/2	8501200030	8501200030	#Universal AC/DC motor with### # a rated		
012			output of 1,2 kW, # a supply voltage of 230 V,		
<u> </u>			and # engine brake, # assembled to a reduction	<15000/red	
.3.2022 / 50					
20					
3					
	kanun gereğince güve	enli elektronik imza ile ir	nzalanmıştır. ID:2090081412022228114630. Bu kod ile http://dogrulama.tim.	org.tr/ adresinden doğrulayabilirsiniz.	

			gear with output shaft, which is contained in a	
			plastic housing # ###for use as electric drive of lawnmower blades#	
313124/20	8501310050	8501310050	#DC motors, brushless, with:### # an external	
12			diameter of 80 mm or more, but not more than	
			200 mm, # a supply voltage of 9 V or more, but	
			not more than 16 V, # an output at 20 °C of 300	
			W or more, but not more than 750 W, # a torque	
			at 20 °C of 2,00 Nm or more, but not more than	
			7,00 Nm, # a rated speed at 20 °C of 600 rpm or	
			more, but not more than 3 100 rpm, # with or	
			without a pulley, # with or without an electronic	
			power steering sensor/controller #	≥15000/green
284255/20	8501620030	8501620030	#Fuel cell system### # consisting of at least	<15000/red
12			phosphoric acid fuel cells, # in a housing with	
			integrated water management and gas	
			treatment, # for permanent, stationary energy	
			supply #	
1069911/2	8503009940	8503009940	#Fuel cell membrane, in rolls or sheets, with a	
012			width of not more than 150 cm, for use in the	
			manufacture of fuel cells in Heading 8501#	<15000/red
284392/20	8504318040	8504318040	#Electrical transformers:### # with a capacity of	
12			1 kVA or less # without plugs or cables, # ###for	
			internal use in the manufacture of set top boxes	
			and TVs#	<15000/red
312921/20	8505110050	8505110050	#Bars specifically shaped, intended to become	
12			permanent magnets after magnetisation,	
			containing neodymium, iron and boron, with	
			dimensions:### # a length of 15 mm or more but	
			not more than 52 mm, # a width of 5 mm or	
			more but not more than 42 mm, # ###of a kind	
			to be used in the manufacture of electric	
			servomotors for industrial automation#	≥15000/green
312685/20	8505110063	8505110063	#Rings, tubes, bushings or collars made from an	
12			alloy of neodymium, iron and boron, with## an	
			external diameter of not more than 45 mm, a	
			height of not more than 45 mm, #of a kind used	
			in the manufacture of permanent magnets after	
			magnetisation#	≥15000/green
3869544/2	8505110055,	8505110073,	#Articles in shape of flat bars, arched bars or	
015	8505199040	8505199035	quarter sleeves, made of ferrite, or cobalt, or	
			samarium or other rare-earth metals, or their	
			alloy, whether or not overmolded with polymers,	
			intended to become permanent magnets after	
			magnetisation with:### # a length of 5 mm or	
			more, but not more than 60 mm, # a width of 5	
			mm or more, but not more than 40 mm, # a	
			thickness of 3 mm or more, but not more than 15	
2			mm #	<15000/red
154450/2	8505199050	8505199050	#Article of agglomerated ferrite in the shape of a	
017			rectangular prism to become a permanent	≥15000/green
22				

			magnet after magnetisation### # whether or	
			not with bevelled edges # of a length of 27 mm	
			or more but not more than 32 mm (\pm 0,15 mm),	
			# of a width of 8,5 mm or more but not more	
			than 9,5 mm (+0,05 mm / -0,09 mm), # of a	
			thickness of 5,5 mm or more but not more than	
			5,8 mm (+0/-0,2 mm), and # of a weight of 6,1 g	
			or more but not more than 8,3 g #	
4632204/2	8506503010	8506503010	#Lithium manganese dioxide cell, with:## a	
017			diameter of 20 mm or more but not more than	
01/			25 mm a length of 3 mm or more but not more	
			than 6 mm a voltage of 3 V or more but not	
			more than $3,4$ V a capacity of 200 mAh or more	
			but not more than 600 mAh an automotive test	
			temperature range from -40°C to +125°C #for	
			use as a component within the manufacture of	
			-	<15000/rod
1572/11/4	8507600030	8507600000	Tyre Pressure Measuring Systems (TPMS)#	<15000/red
1572/14/1	050/000030	8507600030	#Cylindrical lithium-ion accumulator or module,	
995			with a length of 63 mm or more and a diameter	
			of 17,2 mm or more, having a nominal capacity	
			of 1 200 mAh or more, for use in the	
			manufacture of rechargeable batteries#	≥15000/green
3883431/2	8512309020	8512309020	#Warning buzzer for parking sensor system in a	
015			plastic casing operating on the piezo-mechanic	
			<pre>principle, containing:### # a printed circuit</pre>	
			board, # a connector, # whether or not a metal	
			holder, # ###for use in the manufacture of goods	
			of chapter 87#	<15000/red
4490710/2	8512309030	8512309030	#Sound alarm device for protection against	
017			burglary into the vehicle:## with an operating	
			temperature of – 45 °C or more, but not more	
			than + 95 °C, with a voltage of 9 V or more but	
			not more than 16 V, in a plastic housing,	
			whether or not with a metal holder #for use in	
			the manufacture of motor vehicles#	<15000/red
1102737/2	8516900070	8516900070	# Inner pot:### # containing side and central	
012	0010000000		openings, # of annealed aluminium, # with a	
012			ceramic coating, heat resistant to more than	
			200° C # ###for use in the manufacture of an	
			electric fryer#	≥15000/green
1144223/2	8529906528	8529906528	#Electronic assembly comprising at least:### # a	-13000/816611
015	0323900328	0323200320	printed circuit board with, # one or more FPGAs	
J15				
			(Field Programmable Gate Array) and/or	
			processors for multi-media applications and	
			video signal processing, # operating memory, #	
			with or without flash memory, # with or without	
			one or more USB, HDMI, VGA-, RJ-45 and/or	
			other multimedia interfaces, # with or without	
			sockets and plugs for connecting a LCD-display, a	
3.2022 / 505		1	LED lighting and a control panel #	≥15000/green

1102/2007	8529906575	8529906575	#Modules comprising at least semiconductor		
			chips for:### # the generation of driving signals		
			for pixel addressing, or # driving addressing		
			pixels #	≥15000/green	
1073905/2	8529909270	8529909270	#Rectangular fastening and covering frame:### #		
012			of an aluminium alloy containing silicon and		
			magnesium, # with a length of 500 mm or more		
			but not more than 2 200 mm, # with a width of		
			300 mm or more but not more than 1 500 mm, #		
			###of a kind used for the production of TV sets#	≥15000/green	
1075108/2	8536699051	8536699051	#SCART type connectors, built into a plastic or		
012	000000001	0000000000	metal housing, with 21 pins in 2 rows, for use in		
012			the manufacture of products falling within		
			headings 8521 and 8528#	<15000/red	
3863438/2	8536699060	8536699060		<15000/Teu	
-	8230099000	8230099000	#Electrical sockets and plugs with a length of not		
015			more than 12,7 mm or a diameter of not more		
			than 10,8 mm, for use in the production of	47000/	
			hearing aids and speech processors#	<15000/red	
4490679/2	8537109165	8537109165	#Electronic control unit for optimal engine		
017			performance:## with a programmable memory,		
			with a voltage of 8 V or more but not more than		
			16 V, with at least one composite connector, in		
			a metal housing, whether or not with metal		
			holders #for use in the manufacture of motor		
			vehicles#	<15000/red	
1445382/2	8537109170	8537109170	#Programmable motor memory controller for a		
017			voltage not exceeding 1 000 V, comprising at		
			least:### # a printed circuit with active and		
			passive components, # an aluminium housing,		
			and # multiple connectors #	≥15000/green	
4610399/2	8540910020	8540910020	#Thermionic electron source (emitter point) of	, 0	
017			lanthanum hexaboride (CAS RN 12008-21-8) or		
01/			cerium hexaboride (CAS RN 12008-02-5), in a		
			metal housing with electric connectors having##		
			a graphite carbon shield mounted in a mini-Vogel		
			type system separate pyrolytic carbon blocks		
			used as heating elements and a cathode		
			-		
			temperature of less than 1800 K at a filament	>15000/200200	
4 4 4 5 5 0 2 / 2	0700402020	0700402020	current of 1,26 A	≥15000/green	
1445582/2	8708402030	8708402030	#Automatic gearbox with a hydraulic torque		
017			converter with:### # at least eight gears, # an		
			engine torque of 300 Nm or more, and #		
			transverse or longitudinal installation # ###for		
			use in the manufacture of motor vehicles of		
			heading 8703#	<15000/red	
4631667/2		8708402050,	#Transmission assembly which houses 3 other		
017	8708405040	8708405040	shafts inside it and offers a rotating switch for		
			shift position consisting:## cast aluminium body,		
2			differential gear, 2 electrical motors and gears,		
20			#with the dimensions of:## a width of 280 mm		
/			or more but not more than 470 mm, a height of	<15000/red	
5			· · · · · · · · · · · · · · · · · · ·		
Ú,					
<u> </u>					
8.20					
1.3.2022 / 505			ızalanmıştır. ID:2090081412022228114630. Bu kod ile http://dogrulama.tim.		

690 mi vehicle 18502050, #Doub 18509520, motor 18509940 whethe 18509940 whethe 18809930 #Surfact 18809930 #Surfact 18809930 #Surfact 18809930 #Surfact 18919940, #Assen 18919940, #Assen 18919940, #Assen 18999755 whethe 1east:# 18999785 #Electric consist	of 410 mm or more but not more than m, #for use in the manufacture of motor es of Chapter 87# Del flange bearing of 3rd generation, for twehicles,## with double-row ball bearing, her or not with impulse (encoder) ring, her or not with antilock brake system (ABS) r, whether or not with mounted screws, se in the manufacture of goods of chapter the shock absorber of the more than 600 mm, # ###with a ded end or a mandrel for resistance the more than 600 mm, # ###with a ded end or a mandrel for resistance the more than 600 mm, # ###with a ded end or a mandrel for resistance the or not with a resonator, comprising at the one solid aluminium tube whether or th mounting bracket, # one flexible rubber and # one metal clip # ###for use in the facture of goods of Chapter 87# roplated interior or exterior parts	≥15000/green ≥15000/green <15000/red	
18502050, #Doub 18505520, motor 18509110, wheth 18509940 wheth 18509940 wheth 18809930 #Surface 18919940, #Assen 18999755 wheth 18999785 #Electr 18999785 #Electr 18999785 #Electr	ble flange bearing of 3rd generation, for vehicles,## with double-row ball bearing, her or not with impulse (encoder) ring, her or not with antilock brake system (ABS) r, whether or not with mounted screws, se in the manufacture of goods of chapter dec-hardened, steel piston rod for a ulic or hydropneumatic shock absorber of vehicles:### # with a chrome coating, # ameter of 11 mm or more, but not more ameter of 11 mm or more, but not more ameter of a length of 80 mm or more, but more than 600 mm, # ###with a ded end or a mandrel for resistance mg# mbly for supplying compressed air, her or not with a resonator, comprising at #### one solid aluminium tube whether or th mounting bracket, # one flexible rubber and # one metal clip # ###for use in the facture of goods of Chapter 87#	≥15000/green <15000/red	
18509110, whether 18509940 whether 18809930 #Surfact 18919940, #Assent 189999755 whether 189999785 #Electr 18999785 #Electr 189999785	her or not with impulse (encoder) ring, her or not with antilock brake system (ABS) r, whether or not with mounted screws, se in the manufacture of goods of chapter dec-hardened, steel piston rod for a ulic or hydropneumatic shock absorber of vehicles:### # with a chrome coating, # ameter of 11 mm or more, but not more 8 mm, # of a length of 80 mm or more, of more than 600 mm, # ###with a ded end or a mandrel for resistance ng# mbly for supplying compressed air, her or not with a resonator, comprising at ### # one solid aluminium tube whether or th mounting bracket, # one flexible rubber and # one metal clip # ###for use in the facture of goods of Chapter 87#	≥15000/green <15000/red	
sensor #for us 87# 18809930 #Surfac hydrau motor of a dia than 23 but no thread weldin 18919940, #Assen 18999755 whethe least:# not wit hose, a manufa	r, whether or not with mounted screws, se in the manufacture of goods of chapter ace-hardened, steel piston rod for a ulic or hydropneumatic shock absorber of vehicles:### # with a chrome coating, # ameter of 11 mm or more, but not more 8 mm, # of a length of 80 mm or more, of more than 600 mm, # ###with a ded end or a mandrel for resistance ng# mbly for supplying compressed air, her or not with a resonator, comprising at ### one solid aluminium tube whether or th mounting bracket, # one flexible rubber and # one metal clip # ###for use in the facture of goods of Chapter 87#	≥15000/green <15000/red	
87# 8809930 #Surfac hydrau motor of a dia than 23 but no thread weldin 8919940, #Assen 8999755 whether least:# not with hose, a manufa 8999785 #Electriconsist	ice-hardened, steel piston rod for a ulic or hydropneumatic shock absorber of vehicles:### # with a chrome coating, # ameter of 11 mm or more, but not more 8 mm, # of a length of 80 mm or more, ot more than 600 mm, # ###with a ded end or a mandrel for resistance ng# mbly for supplying compressed air, her or not with a resonator, comprising at ### # one solid aluminium tube whether or th mounting bracket, # one flexible rubber and # one metal clip # ###for use in the facture of goods of Chapter 87#	≥15000/green <15000/red	
kydrau motor of a dia than 22 but no thread weldin 18919940, #Assen 18999755 wheth least:# not wit hose, a manufa 18999785 #Electr consist	ulic or hydropneumatic shock absorber of vehicles:### # with a chrome coating, # ameter of 11 mm or more, but not more 8 mm, # of a length of 80 mm or more, of more than 600 mm, # ###with a ded end or a mandrel for resistance ng# mbly for supplying compressed air, her or not with a resonator, comprising at ### # one solid aluminium tube whether or th mounting bracket, # one flexible rubber and # one metal clip # ###for use in the facture of goods of Chapter 87#	<15000/red	
18919940, #Assen 18999755 wheth least:# not wit hose, a manufa 18999785 #Electr consist	mbly for supplying compressed air, her or not with a resonator, comprising at ### # one solid aluminium tube whether or th mounting bracket, # one flexible rubber and # one metal clip # ###for use in the facture of goods of Chapter 87#	<15000/red	
8999755 wheth least:# not wit hose, a manuf 8999785 #Electr consist	ter or not with a resonator, comprising at ### # one solid aluminium tube whether or th mounting bracket, # one flexible rubber and # one metal clip # ###for use in the facture of goods of Chapter 87#		
consist	roplated interior or exterior parts		
with po and ch	ting of:### # a copolymer of acrylonitrile- iene-styrene (ABS), whether or not mixed olycarbonate, # layers of copper, nickel fromium # ###for use in the manufacturing ts for motor vehicles of heading 8701 to	<15000/red	
.4109070 #Moto	or bikes radiators in consignment of 100	≥15000/green	
.4991020, #Bicycl .4991089 integra fibres a	cle handlebars:### # with or without an ated stem, # either made out of carbon and synthetic resin or made of aluminium, for use in the manufacture of bicycles	110000/8/001	
1109030 #Polyn metha polyne and # kind us	a length of more than 150 m, # ###of a sed in the manufacture of polymer fibre	≥15000/green UK suspdeletion if no EU27 producer	FR, NL, IT
1504940 on bot edging proces	th sides, to undergo a coating, colouring, g, mounting or any other substantial ss for use in the manufacture of corrective		
	polym and # kind u cables 504140, #Orga 504940 on bot edging proces	polymer, # a diameter of not more than 3,0 mm, and # a length of more than 150 m, # ###of a kind used in the manufacture of polymer fibre cables# 504140, #Organic uncut corrective eyeglass lens, finished	polymer, # a diameter of not more than 3,0 mm, and # a length of more than 150 m, # ###of a kind used in the manufacture of polymer fibre cables#suspdeletion if no EU27 producer504140, 504940#Organic uncut corrective eyeglass lens, finished on both sides, to undergo a coating, colouring, edging, mounting or any other substantial process for use in the manufacture of corrective

9002110020	9002110020	#Lenses:### # measuring not more than 95 mm × 55 mm × 50 mm, # with a resolution of 160		
		lines/mm or better, and # with a zoom ratio of 3		
		or more times #	≥15000/green	
9002900040	9002900040	#Mounted lenses made from infrared		
		transmitting chalcogenide glass, or a		
		combination of infrared transmitting		
		chalcogenide glass and another lens material#	<15000/red	
9032890040	9032890040	#Digital valve controller for controlling liquids		
		and gases#	≥15000/green	
9607201010	9607201010	#Sliders, narrow tape with mounted zipper teeth,		
		pin/boxes and other parts of slide fasteners, of		
		base metal for use in the manufacture of		
		zippers#	<15000/red	
	9002900040 9032890040	9002900040 9002900040 9032890040 9032890040	SolutionSolutionSolution90029000409002900040#Mounted lenses made from infrared transmitting chalcogenide glass, or a combination of infrared transmitting chalcogenide glass and another lens material#90328900409032890040#Digital valve controller for controlling liquids and gases#96072010109607201010#Sliders, narrow tape with mounted zipper teeth, pin/boxes and other parts of slide fasteners, of base metal for use in the manufacture of	Solution× 55 mm × 50 mm, # with a resolution of 160 lines/mm or better, and # with a zoom ratio of 3 or more times #≥15000/green90029000409002900040#Mounted lenses made from infrared transmitting chalcogenide glass, or a combination of infrared transmitting chalcogenide glass and another lens material#<15000/green